
HALUX N30
MEDICAL EXAMINATION LIGHT



HALUX N30 EXAMINATION LUMINAIRE

HALUX N30 is suitable for anyone who is on a budget but doesn't want to compromise on quality. With an illumination intensity up to 30,000 lux at 0.5 m and a 7.1 inch light field, HALUX N30 offers medical professionals the light they require in a custom configuration.

Fast cleaning

Thanks to its closed design, cleaning agents don't enter into the luminaire head

Maintenance free

Premium materials and durable LED technology

Safe positioning

Sophisticated arm systems, easy and safe to position

Everything at a glance

A large uniform light field for maximum ease of viewing



Features

- 30,000 Lux @ 0.5 meter
- 93+ CRI – for accurate color rendering
- 4400K Color Temperature
- Continuous Dimming – for more flexibility
- Sealed Construction – for easy sanitizing
- Light field: 7.1"
- 5 year warranty

Options include:

- Gooseneck, gooseneck with bottom joint or articulating arm
- Rail, clamp, wall, or rolling stand mounting
- Back or side mounted head

APPLICATIONS

Dermatology

- Large illumination area
- 4400K color temperature
- Very good color rendering properties



General/emergency medicine

- Large illumination area
- High output, up to 30,000 lux @ 0.5 m
- Various fastening options



Patient care

- Dimmable light
- Various fastening options
- Robust and easy to clean



Multiple options


Various arm systems



Versions with or without foot joint



Attachment of the luminaire head from the side or from behind





Technical specifications

Illumination power **	30,000 lux @ 0.5 m
Light field **	Ø 18 cm @ 0.5 m
Dimming	Continuously dimmable
Color rendering Ra	93
Color temperature	Fixed 4400 K
Operating unit	External power adapter
Degree of protection	IP 20 (luminaire head)
Arm system	Flex arm or spring-balanced arm
Operation	Switch at luminaire head

Accessories

Standard wall rail system, extension arm, table clamp, universal fastener, rail clamp, wall bracket, pipe clamp, roller stand



** -10% / +20% tolerance

HALUX N30 EXAMINATION LUMINAIRE

Arm system pin mount options



Waldmann Lighting Company

9 Century Drive
Wheeling, Illinois 60090
www.waldmannlighting.com

3579.2.22.V2B

Telephone (847) 520 1060
Fax (847) 520 1730
waldmann@waldmannlighting.com

Waldmann **W**
ENGINEERS OF LIGHT