
VISIANO 10-1
EXAMINATION LIGHT





VISIANO 10-1

VISIANO 10-1 was designed to be used universally for exams and procedures in the clinical sector. Seven premium LEDs and unique diamond optic technology offer low energy consumption and glare-free, shadow-free and heat-free high illumination. The sealed construction protects against contamination from outside sources. And the ergonomic handle and intuitive on/off switch allow for precise, reliable positioning and easy handling.

- Neutral daylight color rendering index of >93
- 34" reach with flexible arm
- 280° rotation of the light head
- 4400K color temperature
- Unique diamond optics and Premium LEDs for professional-grade light quality
- 7-inch illuminated field with 50,000 lux at .5 meter
- Various mounting options available for wall, rail or table mounting as well as for use with a rolling floor stand
- Electronics integrated for maximum safety and energy efficiency
- Sealed construction for contaminant- and maintenance-free operation
- Robust arm and friction joints ensure accurate positioning and durability



Timeless, slimline design with ergonomic handle





Diamond cluster optics for bright, consistent light





7 inches
 ø 180 mm
 approx. 50,000 lx/0.5 m



| TECHNICAL | | PRODUCT NUMBER | DESCRIPTION |
|-------------------------|--------------------------|----------------|---|
| Illumination intensity | approx. 50,000 lx / 0.5m | D15757100 | VISIANO 10-1 P S10, gooseneck arm - clamp |
| Color rendering | Ra > 93 | D15757110 | VISIANO 10-1 P S10, gooseneck arm - floor stand |
| Color temperature | 4400K | D15757120 | VISIANO 10-1 P S10, gooseneck arm - wall mount |
| Illumination field 0.5m | Ø 7 inches | D15757150 | VISIANO 10-1 P S10, gooseneck arm - rail mount |
| Operation | I/O switch on the arm | | |
| Standards | IEC 60601-1 | | |

ACCESSORIES

| ROLLER STAND | | EXTENSION ARM | |
|--------------|---|---------------|-------------------|
| Material | steel/plastic | Material | steel |
| Dimensions | 39" pole, Ø 27.6" base | Weight (net) | 1 lbs |
| Weight (net) | 16.5 lbs | for stud Ø | 16mm |
| for stud Ø | 16mm-W with removal protection with cable suspension device | PRODUCT NO. | D13363000 - white |
| PRODUCT NO. | D15595000 - gray/white | | |

| TABLE CLAMP | | RAIL MOUNTING | | WALL BRACKET | |
|--------------|-------------------|---------------|--------------------|--------------|-------------------|
| Material | steel/polyresin | Material | anodized aluminum | Material | polyamide GF |
| Weight (net) | 1 lb | Weight (net) | 0.4 lbs | Weight (net) | 0.3 lbs |
| for stud Ø | 16mm | for stud Ø | 16mm | for stud Ø | 16mm |
| PRODUCT NO. | D14228000 - black | PRODUCT NO. | D13269000 - silver | PRODUCT NO. | D13231000 - white |

HEADQUARTERS GERMANY
Herbert Waldmann GmbH & Co. KG
Postfach 50 62
78057 VILLINGEN-SCHWENNINGEN

GERMANY
Telephone +49 7720 601-0
Telephone +49 7720 601-100 (Sales)
Fax +49 7720 601-290
www.waldmann.com
sales.germany@waldmann.com

FRANCE
Waldmann Eclairage S.A.S.
Zone Industrielle
Rue de l'Embranchement
67116 REICHESTETT
FRANCE
Telephone +33 3 88 20 95 88
Fax +33 3 88 20 95 68
www.waldmann.com
info-fr@waldmann.com

ITALY
Waldmann Illuminotecnica S.r.l.
Via della Pace, 18 A
20098 SAN GIULIANO MILANESE (MI)
ITALY
Telephone +39 02 98 24 90 24
Fax +39 02 98 24 63 78
www.waldmann.com
info-it@waldmann.com

THE NETHERLANDS
Waldmann B.V.
Lingewei 19
4004 LK TIEL
THE NETHERLANDS
Telephone +31 344 631019
Fax +31 344 627856
www.waldmann.com
info-nl@waldmann.com

AUSTRIA
Waldmann Lichttechnik Ges.m.b.H.
Gewerbepark Wagram 7
4061 PASCHING/LINZ
AUSTRIA
Telephone +43 7229 67400
Fax +43 7229 67444
www.waldmann.com
info-at@waldmann.com

SWEDEN
Waldmann Ljusteknik AB
Skebokvarnsvägen 370
124 50 BANDHAGEN
SWEDEN
Telephone +46 8 990 350
Fax +46 8 991 609
www.waldmann.com
info-se@waldmann.com

SWITZERLAND
Waldmann Lichttechnik GmbH
Benkenstrasse 57
5024 KÜTTIGEN
SWITZERLAND
Telephone +41 62 839 1212
Fax +41 62 839 1299
www.waldmann.com
info-ch@waldmann.com

UNITED KINGDOM
Waldmann Lighting Ltd.
10 Millfield House
Croxley Green Business Park
WATFORD WD18 8Y
Telephone +44 1923 800030
Fax +44 1923 800016
www.waldmann.com
E-Mail info-uk@waldmann.com

USA
Waldmann Lighting Company
9 W. Century Drive
WHEELING, ILLINOIS 60090
USA
Telephone +1 847 520 1060
Fax +1 847 520 1730
www.waldmannlighting.com
waldmann@waldmannlighting.com

CHINA
Waldmann Lighting (Shanghai) Co. Ltd.
199 Changjian Road, Baoshan
SHANGHAI, PRC 200949
Telephone +86 21 5169-1799
Fax +86 21 3385-0032
www.waldmann.com
E-Mail info-cn@waldmann.com

SINGAPORE
Waldmann Lighting Singapore Pte. Ltd.
77A Neil Road
SINGAPORE 088903
Telephone +65 6275 8300
Fax +65 6275 8377
www.waldmann.com
E-Mail sales-sg@waldmann.com

INDIA
Waldmann Lighting Pvt. Ltd.
Phase-VI, Sector-37
GURGAON - 122001, HARYANA
Telephone +91 124 412 1600
Fax +91 124 412 1611
www.waldmann.com
E-Mail sales-in@waldmann.com