

WALDMANN PART NUMBER	DESCRIPTION	2015 List Price	DISCOUNT PRICING	
			1 - 9 QTY 27% off List Price	10 - 49 QTY 35% off List Price
000364000	Light Projector (HI)	271.00	197.83	
008308800	HGWK-70, pivoting head, w/out switch, 24V DC	273.00	199.29	177.45
008308802	HGWK-70, pivoting head, w/switch, 24V DC	284.00	207.32	184.60
047803000	OmnivueMax, 120V, magnetic ballast w/43" reach w/ clamp	514.00	375.22	334.10
100870801	HGW-70, articulating arm, 18" arm, w/switch, 24V DC	325.00	237.25	211.25
100870803	HGW-70, articulating arm, 32" arm, w/switch, 24V DC	325.00	237.25	211.25
108540000	PAL-113, 120V	115.00	83.95	74.75
108870801	HGW-70, articulating arm, 18" arm, in-line transformer, 120V	412.00	300.76	267.80
108870802	HGW-70, articulating arm, 32" arm, in-line transformer, 120V	419.00	305.87	272.35
111650001	RL70E-118, 24V AC, glass, w/C endcaps (36.2")	427.00	311.71	277.55
112459006	SPOT LED, MCXFL 3 S, pivoting head w/out transformer, 40°, 24V AC/DC, w/out swi	427.00	311.71	277.55
112462003	SPOT LED, MCTFL 3 S, gooseneck arm, w/out transformer, 40°, 24V AC/DC	511.00	373.03	332.15
112462009	SPOT LED, MCTFL 3 N, gooseneck arm, w/transformer, 40°, 100-240V, 50/60Hz	574.00	419.02	373.10
112463003	SPOT LED, MCBFL 3 S, articulating arm w/out transformer, 40°, 24V AC/DC	550.00	401.50	357.50
112463009	SPOT LED, MCBFL 3 N, articulating arm w/transformer, 40°, 100-240V, 50/60Hz	609.00	444.57	395.85
118790000	Omnivue, 120V, magnetic ballast w/35" reach	514.00	375.22	334.10
128100900	RL70E-117, 120-277V, 50/60Hz, acrylic, w/cordset (40.6")	359.00	262.07	233.35
128100901	RL70E-117, 120-277V, 50/60Hz, glass w/cordset (40.6")	387.00	282.51	251.55
128110900	RL70E-125, 120-277V, 50/60Hz, acrylic, w/cordset (52.6")	381.00	278.13	247.65
128110901	RL70E-125, 120-277V, 50/60Hz, glass, w/cordset (52.6")	417.00	304.41	271.05
128120900	RL70E-132, 120-277V, 50/60Hz, acrylic, w/cordset (64.6")	405.00	295.65	263.25
128120901	RL70E-132, 120-277V, 50/60Hz, glass, w/cordset (64.6")	437.00	319.01	284.05
128130001	RL70-117 S, glass (30.9")	253.00	184.69	164.45
138425000	Omnivue ESD, 120V, w/35" reach, 3 diopter	802.00	585.46	521.30
138425001	OmnivueMax ESD, 120V, w/43" reach, 3 diopter	802.00	585.46	521.30
138442000	RLLE-122, 120V, 4d, w/37" reach, w/clamp	388.00	283.24	252.20
138442001	RLLE-122, 120V, 4d+12d, w/37" reach, w/clamp	410.00	299.30	266.50
138442005	RLLE-122 Max, 120V, 4d, w/43.5" reach, w/clamp	420.00	306.60	273.00
138442009	RLLE-122 Max, 120V, 4d+12d, w/43.5" reach, w/clamp	430.00	313.90	279.50
190015021	Bracket, each, long-l, galv. steel, neoprene inserts (RL70)	22.00	16.06	
190015995	Bracket, each, short-l, galv. steel, neoprene inserts (RL70)	22.00	16.06	
190080019	Magnifier, Add-X 4d (Omnivue, SNE)	104.00	75.92	
190080029	Magnifier, Add-X 4d+12d (Omnivue, SNE)	127.00	92.71	
191025019	Clamp	44.00	32.12	
204090019	Universal Base	64.00	46.72	
209585028	LED Driver, 120-277V, 24V DC, 17W	81.00	59.13	
209585030	LED Driver, 120V, 24V DC, 50W max. (MACH LED)	107.00	78.11	
209585031	LED Driver, 120-277V, 24V DC, 75W max. (MACH LED)	129.00	94.17	
305169450	Tube, RL70, Acrylic (26.37")	64.00	46.72	
305169860	Tube, RL70, Acrylic (40.87")	88.00	64.24	
305169870	Tube, RL70, Acrylic (63.58")	128.00	93.44	
305226500	Tube, RL70, Glass (50.94")	167.00	121.91	
305412030	Glass Lens, tempered, clear (HG series)	38.00	27.74	
308218109	Bracket, wall, for pin-mount	47.00	34.31	
309015020	Ballast, electronic, 1X18W, 24V DC (AWD)	168.00	122.64	
309103010	Ballast, 1x20W, 120V, 60Hz (RL70-120)	11.00	8.03	
309201010	Ballast, 1x18W, 120V, 60Hz (RL70C-118)	28.00	20.44	
309269010	Ballast, 1x18W, 120V, 50/60Hz (RL70C-118)	92.00	67.16	
309355010	Ballast, 1x54W, 120V, 50/60Hz (RL40-154)	98.00	71.54	
309355020	Ballast, 2x24/39W, 120V, 50/60Hz (RL70-224, -239)	102.00	74.46	
309361010	Ballast, 2x54W, 120V, 50/60Hz (RL70-254)	103.00	75.19	
309366010	Ballast, 1x24/36/40W or 2x24/36/40W, 120-277V, 50/60Hz (RL70C-124, -136)	84.00	61.32	
309367010	Ballast, 1x18/24W or 2x18/24W, 120-277V, 50/60Hz (RL70C-118, -124)	96.00	70.08	
309367030	Ballast, 1x25/32/36/40W or 2x25/32/36/40W, 120-277V, 50/60Hz (RL70/RL40-125,	90.00	65.70	

309367050	Ballast, 1x17W or 2x17W, 120-277V, 50/60Hz (RL70/RL40-117)	90.00	65.70	
309368010	Ballast, 1x17/25/32W, 120-277V, 50/60Hz (RL70/RL40-117, -125, -132)	50.00	36.50	
309414040	LED Driver, Plug In 120V-240V, 24V DC, 30W	103.00	75.19	
309495010	Ballast, Electronic, 1/2x18W, 120-277V, 50/60Hz (Omnivue)	63.00	45.99	
320283030	Lamp, halogen, QT-LP12, 12V, 75W, GY6.35 (HSW-75, HSWK-75)	14.00	10.22	
336047100	Plug-in Power Supply, 100-240V (TEVISIO)	34.00	24.82	
450008010	Lamp, fluorescent, F8T5, 8W, 4100K	8.00	5.84	
450018182	Lamp, fluorescent, CFL, 18W, 4100K (AWD)	28.00	20.44	
450020010	Lamp, fluorescent, F20T12, 20W, 4100K	25.00	18.25	
450022010	Lamp, fluorescent, FC8T9, 22W, 4100K, Circline (RLLE)	22.00	16.06	
450055300	Lamp, halogen, 12V, 55W, H3 (HG/HGW 12V models)	19.00	13.87	
950900026	LED Driver, 120-277V, 17W max. (HEAD LED)	81.00	59.13	
950900038	Lamp, fluorescent, PL-S 9W, 5000K (Omnivue)	16.00	11.68	
950900039	Lamp, fluorescent, PL-S 13W CFL, 5000K (WD, EBL, PAL)	24.00	17.52	
950900043	Lamp, CFL, 13W, GV23.UVA (PAL)	35.00	25.55	
950900057	Fuse, T0.5A, 12V, 55W (each)	5.00	3.65	
950900084	Cord, 18AWG/3, SJ00W, 90°, per foot (used w/ RL70 series with built-in ballast)	4.00	2.92	
950900094	Cord, 18AWG/3, AWM STYLE 2587, PVC, 90°, 600V, UL/CSA, per foot	5.00	3.65	
19102506940	CLAMP, TABLE, BLACK	34.00	24.82	
001364002-00001577	Fiberoptic Tube (HI)	293.00	213.89	
041803015-00080014	RL70CE-118, 120V, glass, (18.9")	284.00	207.32	184.60
041803016-00006993	RL70CE-118, 120V, acrylic (18.9")	262.00	191.26	170.30
101442M00	ALE-458, Pendant Inspection Luminaire, 4x58W	1,986.00	1,449.78	1,290.90
108070000-00013766	EBL-213, 120V	387.00	282.51	251.55
108210000-00055526	RL70C-118 S, acrylic, (14.4")	196.00	143.08	127.40
108210001-00055422	RL70C-118 S, glass, (14.4")	218.00	159.14	141.70
108400001-00001908	WD-213, 120V, w/34" reach	558.00	407.34	362.70
108470000-00055527	RL70C-124 S, acrylic (14.4")	216.00	157.68	140.40
108470001-00055423	RL70C-124 S, glass (17.6")	235.00	171.55	152.75
108500000-00063134	RL70CV-118, 120V, 60Hz, acrylic (17.6")	261.00	190.53	169.65
108500001-00054029	RL70CV-118, 120V, 60Hz, glass (17.6")	283.00	206.59	183.95
108500M00	RL70CV-118, 120V, 60Hz, acrylic, w/cordset & brackets (17.6")	311.00	227.03	202.15
108500M01	RL70CV-118, 120V, 60Hz, glass, w/cordset & brackets (17.6")	335.00	244.55	217.75
108510000-00087167	RL70CV-124, 120V, acrylic (23.6")	289.00	210.97	187.85
108510001-00055610	RL70CV-124, 120V, glass (23.6")	319.00	232.87	207.35
108620000-00013816	RL70C-136 S, acrylic (20.7")	238.00	173.74	154.70
108620001-00013818	RL70C-136 S, glass (20.7")	270.00	197.10	175.50
108670000-00081448	RL70CE-124, 120-277V, 50/60Hz, acrylic (26.7")	293.00	213.89	190.45
108670001-00081450	RL70CE-124, 120-277V, 50/60Hz, glass (26.7")	310.00	226.30	201.50
108670M00	RL70CE-124, 120-277V, 50/60Hz, acrylic, with cordset & brackets (26.7")	374.00	273.02	243.10
108670M01	RL70CE-124, 120-277V, 50/60Hz, glass, with cordset & brackets (26.7")	409.00	298.57	265.85
108680000-00081455	RL70CE-136, 120-277V, 50/60Hz, acrylic (31")	304.00	221.92	197.60
108680001-00081457	RL70CE-136, 120-277V, 50/60Hz, glass (31")	333.00	243.09	216.45
108680M00	RL70CE-136, 120-277V, 50/60Hz, acrylic, w/cordset & brackets (31")	349.00	254.77	226.85
108680M01	RL70CE-136, 120-277V, 50/60Hz, glass, w/cordset & brackets (31")	385.00	281.05	250.25
108690000-00048570	HG-55, articulating arm, 55W, 120V (transformer built into arm)	423.00	308.79	274.95
111410000-00057156	RL70CE-124, 24V AC, acrylic (25.2")	426.00	310.98	276.90
111410001-00057158	RL70CE-124, 24V AC, glass (25.2")	457.00	333.61	297.05
111420000-00057161	RL70CE-136, 24V AC, acrylic (29.4")	447.00	326.31	290.55
111420001-00057164	RL70CE-136, 24V AC, glass (29.4")	479.00	349.67	311.35
111440000-00057173	RL70CE-124, 24V DC, acrylic (25.2")	426.00	310.98	276.90
111440001-00057175	RL70CE-124, 24V DC, glass (25.2")	457.00	333.61	297.05
111450000-00064046	RL70CE-136, 24V DC, acrylic (29.4")	447.00	326.31	290.55
111450001-00057177	RL70CE-136, 24V DC, glass (29.4")	479.00	349.67	311.35
111650000-00063029	RL70E-118, 24V AC, acrylic, w/C endcaps (36.2")	405.00	295.65	263.25
111690000-00063406	RL70E-118, 24V DC, acrylic, w/C endcaps (36.2")	405.00	295.65	263.25
111690001-00063408	RL70E-118, 24V DC, glass, w/C endcaps (36.2")	427.00	311.71	277.55
111720000-00059978	RL70E-136, 24V AC, acrylic, w/C endcaps (60.3")	450.00	328.50	292.50
111720001-00059980	RL70E-136, 24V AC, glass, w/C endcaps (60.3")	483.00	352.59	313.95
111730000-00059987	RL70E-136, 24V DC, acrylic, w/C endcaps (60.3")	450.00	328.50	292.50
111730001-00059991	RL70E-136, 24V DC, glass, w/C endcaps (60.3")	483.00	352.59	313.95
112043000-00078210	HSW-20, articulating arm, 12V, w/ switch	418.00	305.14	271.70
112043010-00078214	HSW-20, articulating arm, 24V, w/switch	421.00	307.33	273.65
112049000-00078883	HSWT-20, gooseneck, 12V, w/switch	404.00	294.92	262.60
112049010-00078885	HSWT-20, gooseneck, 24V, w/switch	404.00	294.92	262.60
112049012-00078884	HSWT-20, gooseneck, 120V (must purchase plug-in transformer separately)	358.00	261.34	232.70
112060002-00012747	SAMCE-224, 120-240V, 2x24W, 27.8"	414.00	302.22	269.10
112081000-00078197	HSWK-20, pivoting head, 12V, w/o switch	271.00	197.83	176.15

112081010-00078198	HSWK-20, pivoting head, 24V, w/o switch	271.00	197.83	176.15
112153001-00083632	AWDCE-118, glass, w/out louver	318.00	232.14	206.70
112153011-00083633	AWDCE-118, glass, w/louver	349.00	254.77	226.85
112185000-00005180	HSW-75, articulating arm, 12V, w/switch	438.00	319.74	284.70
112185010-00005246	HSW-75, articulating arm, 24V, w/switch	438.00	319.74	284.70
112187003-00005185	HSWK-75, pivoting head, 12V, w/o switch	361.00	263.53	234.65
112187010-00005235	HSWK-75, pivoting head, 24V, w/switch	364.00	265.72	236.60
112187013-00005236	HSWK-75, pivoting head, 24V, w/o switch	361.00	263.53	234.65
112226M20	STE-155T, 120V, 5400K, w/36" reach task light, w/clamp, arm on right	816.00	595.68	530.40
112353002-00058709	ABLL1, pivoting head, 6° spot, w/threadmount	198.00	144.54	128.70
112353003-00058711	ABLL1, pivoting head, 25° flood, w/threadmount	198.00	144.54	128.70
112369000-00084194	RL70CE-118, 24V AC, acrylic (20.6")	406.00	296.38	263.90
112369001-00084204	RL70CE-118, 24V AC, glass (20.6")	428.00	312.44	278.20
112370000-00084157	RL70CE-118, 24V DC, acrylic (20.6")	406.00	296.38	263.90
112370001-00084161	RL70CE-118, 24V DC, glass (20.6")	428.00	312.44	278.20
112373000-00059075	ABLTL1, gooseneck, w/detach head, 6° spot, w/threadmount	310.00	226.30	201.50
112373010-00059261	ABLTL1, gooseneck, w/detach head, 25° flood, w/threadmount	310.00	226.30	201.50
112373M10	ABLTL1, gooseneck, w/detach head, 6° spot, 95-240V (All in One)	435.00	317.55	282.75
112373M11	ABLTL1, gooseneck, w/detach head, 25° flood, 95-240V (All in One)	435.00	317.55	282.75
112373M20	ABLTL1, gooseneck, w/detach head, 6° spot, 19.2-28.8V (All in One)	401.00	292.73	260.65
112373M21	ABLTL1, gooseneck, w/detach head, 25° flood, 19.2-28.8V (All in One)	401.00	292.73	260.65
112385000-00066483	ABLTL1, gooseneck, fixed head, 6° spot, w/threadmount	231.00	168.63	150.15
112385001-00066539	ABLTL1, gooseneck, fixed head, 25° flood, w/threadmount	231.00	168.63	150.15
112385M10	ABLTL1, gooseneck, fixed head, 6° spot, 95-240V (All in One)	376.00	274.48	244.40
112385M11	ABLTL1, gooseneck, fixed head, 25° flood, 95-240V (All in One)	376.00	274.48	244.40
112385M20	ABLTL1, gooseneck, fixed head, 6° spot, 19.2-28.8V (All in One)	349.00	254.77	226.85
112385M21	ABLTL1, gooseneck, fixed head, 25° flood, 19.2-28.8V (All in One)	349.00	254.77	226.85
112414085-00071639	HITF-20 S, gooseneck, 12V, 23" w/out transformer	238.00	173.74	154.70
112415081-00071609	HITF-20 N, gooseneck, 120V, 23" w/plug-in transformer	284.00	207.32	184.60
112416065-00071670	HIBF-20 S, articulating arm, 12V, w/out transformer	268.00	195.64	174.20
112417061-00071685	HIBF-20 N, articulating arm, 120V, w/plug-in transformer	313.00	228.49	203.45
112418065-00071648	HIXF-20 S, pivoting head, 12V, w/out transformer	182.00	132.86	118.30
112419061-00071644	HIXF-20 N, pivoting head, 120V, w/plug-in transformer	229.00	167.17	148.85
112423000-00071550	ABLTL1, gooseneck, fixed head, 6° spot, w/16mm pin	244.00	178.12	158.60
112423001-00071549	ABLTL1, gooseneck, fixed head, 25° flood, w/16mm pin	244.00	178.12	158.60
112459001-00091693	SPOT LED, MCXFL 3 S, pivoting head w/out transformer, 10°, 24V AC/DC, w/switch	451.00	329.23	293.15
112459003-00091694	SPOT LED, MCXFL 3 S, pivoting head w/out transformer, 40°, 24V AC/DC, w/switch	451.00	329.23	293.15
112459004-00082950	SPOT LED, MCXFL 3 S, pivoting head w/out transformer, 10°, 24V AC/DC, w/out swi	427.00	311.71	277.55
112459007-00091850	SPOT LED, MCXFL 3 N, pivoting head w/transformer, 10°, 100-240V, 50/60Hz	551.00	402.23	358.15
112459009-00091852	SPOT LED, MCXFL 3 N, pivoting head w/transformer, 40°, 100-240V, 50/60Hz	551.00	402.23	358.15
112460001-00082995	SPOT LED, MCEYL 3 S, flush mount, w/out transformer, 10°, 24V AC/DC	306.00	223.38	198.90
112460003-00087891	SPOT LED, MCEYL 3 S, flush mount, w/out transformer, 40°, 24V AC/DC	306.00	223.38	198.90
112461001-00083005	SPOT LED, MCEYL 3 S, surface mount, w/o transformer, 10°, 24V AC/DC	306.00	223.38	198.90
112461003-00087871	SPOT LED, MCEYL 3 S, surface mount, w/o transformer, 40°, 24V AC/DC	306.00	223.38	198.90
112462001-00091851	SPOT LED, MCTFL 3 S, gooseneck arm, w/out transformer, 10°, 24V AC/DC	511.00	373.03	332.15
112462007-00091926	SPOT LED, MCTFL 3 N, gooseneck arm, w/transformer, 10°, 100-240V, 50/60Hz	574.00	419.02	373.10
112463001-00091660	SPOT LED, MCBFL 3 S, articulating arm w/out transformer, 10°, 24V AC/DC	550.00	401.50	357.50
112463007-00091662	SPOT LED, MCBFL 3 N, articulating arm w/transformer, 10°, 100-240V, 50/60Hz	609.00	444.57	395.85
112504000-00097935	SAMCE-136A, ESD, 120-277V, 1x36W CFL (19.4")	338.00	246.74	219.70
112544000-00001328	SLIM LED, LIQ 6, 3.6W, 23-25V DC, adjustable, clear (7.7")	126.00	91.98	81.90
112544001-00011081	SLIM LED, LIQ 12, 7.2W, 23-25V DC, adjustable, clear (13.2")	180.00	131.40	117.00
112544002-00011082	SLIM LED, LIQ 24, 14.4W, 23-25V DC adjustable, clear (24.3")	293.00	213.89	190.45
112544003-00011083	SLIM LED, LIQ 36, 21.6W, 23-25V DC, adjustable, clear (35.3")	399.00	291.27	259.35
112544004-00011084	SLIM LED, LIQ 48, 28.8W, 23-25V DC, adjustable, clear (46.3")	508.00	370.84	330.20
112544005-00011100	SLIM LED, LIQ 6, 3.6W, 23-25V DC, adjustable, satine (7.7")	126.00	91.98	81.90
112544006-00011088	SLIM LED, LIQ 12, 7.2W, 23-25V DC, adjustable, satine (13.2")	180.00	131.40	117.00
112544007-00011085	SLIM LED, LIQ 24, 14.4W, 23-25V DC, adjustable, satine (24.3")	293.00	213.89	190.45
112544008-00011086	SLIM LED, LIQ 36, 21.6W, 23-25V DC, adjustable, satine (35.3")	399.00	291.27	259.35
112544009-00011087	SLIM LED, LIQ 48, 28.8W, 23-25V DC, adjustable, satine (46.3")	508.00	370.84	330.20
112544010-00011101	SLIM LED, LIQ 6, 3.6W, 23-25V DC, adjustable, no lens (7.7")	124.00	90.52	80.60
112544011-00011102	SLIM LED, LIQ 12, 7.2W, 23-25V DC, adjustable, no lens (13.2")	178.00	129.94	115.70
112544012-00011103	SLIM LED, LIQ 24, 14.4W, 23-25V DC, adjustable, no lens (24.3")	287.00	209.51	186.55
112544013-00011104	SLIM LED, LIQ 36, 21.6W, 23-25V DC, adjustable, no lens (35.3")	393.00	286.89	255.45
112544014-00011105	SLIM LED, LIQ 48, 28.8W, 23-25V DC, adjustable, no lens (46.3")	502.00	366.46	326.30
112545000-00001351	SLIM LED, LIQ 6, 3.6W, 23-25V DC, fixed, clear (7.7")	115.00	83.95	74.75
112545001-00011125	SLIM LED, LIQ 12, 7.2W, 23-25V DC, fixed, clear (13.2")	166.00	121.18	107.90
112545002-00011130	SLIM LED, LIQ 24, 14.4W, 23-25V DC, fixed, clear (24.3")	271.00	197.83	176.15
112545003-00011133	SLIM LED, LIQ 36, 21.6W, 23-25V DC, fixed, clear (35.3")	374.00	273.02	243.10

112545004-00011136	SLIM LED, LIQ 48, 28.8W, 23-25V DC, fixed, clear (46.3")	480.00	350.40	312.00
112545005-00011120	SLIM LED, LIQ 6, 3.6W, 23-25V DC, fixed, satine (7.7")	115.00	83.95	74.75
112545006-00011128	SLIM LED, LIQ 12, 7.2W, 23-25V DC, fixed, satine (13.2")	166.00	121.18	107.90
112545007-00011131	SLIM LED, LIQ 24, 14.4W, 23-25V DC, fixed, satine (24.3")	271.00	197.83	176.15
112545008-00011134	SLIM LED, LIQ 36, 21.6W, 23-25V DC, fixed, satine (35.3")	374.00	273.02	243.10
112545009-00011137	SLIM LED, LIQ 48, 28.8W, 23-25V DC, fixed, satine (46.3")	480.00	350.40	312.00
112545010-00011121	SLIM LED, LIQ 6, 3.6W, 23-25V DC, fixed, no lens (7.7")	113.00	82.49	73.45
112545011-00011129	SLIM LED, LIQ 12, 7.2W, 23-25V DC, fixed, no lens (13.2")	164.00	119.72	106.60
112545012-00011132	SLIM LED, LIQ 24, 14.4W, 23-25V DC, fixed, no lens (24.3")	267.00	194.91	173.55
112545013-00011135	SLIM LED, LIQ 36, 21.6W, 23-25V DC, fixed, no lens (35.3")	369.00	269.37	239.85
112545014-00011138	SLIM LED, LIQ 48, 28.8W, 23-25V DC, fixed, no lens (46.3")	475.00	346.75	308.75
112554000-00003165	HEAD LED, MCAYL 4 S, 100° wide flood, 1x11W	218.00	159.14	141.70
112554001-00005758	HEAD LED, MCAYL 4 S, 70° narrow flood, 1x11W	220.00	160.60	143.00
112560000-00003069	FLAT LED, MYAL 6 S 10-40V DC - surface mount	430.00	313.90	279.50
112560001-00003166	FLAT LED, MYEL 6 S 10-40V DC - flush mount	452.00	329.96	293.80
112560002-00006272	FLAT LED, MYAL 6 S 10-30V AC - surface mount	430.00	313.90	279.50
112560003-00006273	FLAT LED, MYEL 6 S 10-30V AC - flush mount	452.00	329.96	293.80
112567000-00548248	MACH LED, MTAL 1 S, 24V DC, 30° beam angle, B end caps (7")	252.00	183.96	163.80
112567000-00548251	MACH LED, MTAL 2 S, 24V DC, 30° beam angle, B end caps (14")	383.00	279.59	248.95
112567000-00548254	MACH LED, MTAL 3 S, 24V DC, 30° beam angle, B end caps (21")	525.00	383.25	341.25
112567000-00548257	MACH LED, MTAL 4 S, 24V DC, 30° beam angle, B end caps (28")	665.00	485.45	432.25
112567041-00488606	MACH LED, MTAL 1 S, 24V DC, 30° beam angle, A end caps (7")	252.00	183.96	163.80
112567044-00463693	MACH LED, MTAL 1 S, 24V DC, 50° beam angle, A end caps (7")	239.00	174.47	155.35
112567045-00521832	MACH LED, MTAL 1 S, 24V DC, 50° beam angle, B end caps (7")	239.00	174.47	155.35
112567054-00463698	MACH LED, MTAL 2 S, 24V DC, 50° beam angle, A end caps (14")	358.00	261.34	232.70
112567055-00476003	MACH LED, MTAL 2 S, 24V DC, 30° beam angle, A end caps (14")	383.00	279.59	248.95
112567056-00520931	MACH LED, MTAL 2 S, 24V DC, 50° beam angle, B end caps (14")	358.00	261.34	232.70
112567064-00463701	MACH LED, MTAL 3 S, 24V DC, 50° beam angle, A end caps (21")	484.00	353.32	314.60
112567065-00505196	MACH LED, MTAL 3 S, 24V DC, 30° beam angle, A end caps (21")	525.00	383.25	341.25
112567066-00520942	MACH LED, MTAL 3 S, 24V DC, 50° beam angle, B end caps (21")	484.00	353.32	314.60
112567074-00464416	MACH LED, MTAL 4 S, 24V DC, 50° beam angle, A end caps (28")	610.00	445.30	396.50
112567075-00478381	MACH LED, MTAL 4 S, 24V DC, 30° beam angle, A end caps (28")	665.00	485.45	432.25
112567076-00463706	MACH LED, MTAL 4 S, 24V DC, 50° beam angle, B end caps	610.00	445.30	396.50
112571000-00084579	MACH LED PRO, MUEL 1 S, 24V DC, 30° beam angle, recessed (8.7")	287.00	209.51	186.55
112571001-00085127	MACH LED PRO, MUEL 1 S, 24V AC, 30° beam angle, recessed (8.7")	298.00	217.54	193.70
112571002-00085216	MACH LED PRO, MUEL 1 S, 24V DC, 120° beam angle, recessed (8.7")	275.00	200.75	178.75
112571003-00085194	MACH LED PRO, MUEL 1 S, 24V AC, 120° beam angle, recessed (8.7")	282.00	205.86	183.30
112571004-00085220	MACH LED PRO, MUEL 2 S, 24V DC, 30° beam angle, recessed (15.6")	431.00	314.63	280.15
112571005-00085225	MACH LED PRO, MUEL 2 S, 24V AC, 30° beam angle, recessed (15.6")	448.00	327.04	291.20
112571006-00085224	MACH LED PRO, MUEL 2 S, 24V DC, 120° beam angle, recessed (15.6")	401.00	292.73	260.65
112571007-00085226	MACH LED PRO, MUEL 2 S, 24V AC, 120° beam angle, recessed (15.6")	418.00	305.14	271.70
112571010-00085227	MACH LED PRO, MUEL 3 S, 24V DC, 30° beam angle, recessed (22.4")	584.00	426.32	379.60
112571011-00085256	MACH LED PRO, MUEL 3 S, 24V AC, 30° beam angle, recessed (22.4")	602.00	439.46	391.30
112571012-00085228	MACH LED PRO, MUEL 3 S, 24V DC, 120° beam angle, recessed (22.4")	535.00	390.55	347.75
112571013-00085257	MACH LED PRO, MUEL 3 S, 24V AC, 120° beam angle, recessed (22.4")	557.00	406.61	362.05
112571014-00085275	MACH LED PRO, MUEL 4 S, 24V DC, 30° beam angle, recessed (29.3")	723.00	527.79	469.95
112571015-00085278	MACH LED PRO, MUEL 4 S, 24V AC, 30° beam angle, recessed (29.3")	755.00	551.15	490.75
112571016-00085276	MACH LED PRO, MUEL 4 S, 24V DC, 120° beam angle, recessed (29.3")	663.00	483.99	430.95
112571017-00085311	MACH LED PRO, MUEL 4 S, 24V AC, 120° beam angle, recessed (29.3")	696.00	508.08	452.40
112571020-00079042	MACH LED PRO, MUAL 1 S, 24V DC, 30° beam angle, surface mount (8.7")	287.00	209.51	186.55
112571021-00082249	MACH LED PRO, MUAL 1 S, 24V AC, 30° beam angle, surface mount (8.7")	298.00	217.54	193.70
112571022-00082186	MACH LED PRO, MUAL 1 S, 24V DC, 120° beam angle, surface mount (8.7")	275.00	200.75	178.75
112571023-00082250	MACH LED PRO, MUAL 1 S, 24V AC, 120° beam angle, surface mount (8.7")	282.00	205.86	183.30
112571024-00082456	MACH LED PRO, MUAL 2 S, 24V DC, 30° beam angle, surface mount (15.6")	431.00	314.63	280.15
112571025-00082632	MACH LED PRO, MUAL 2 S, 24V AC, 30° beam angle, surface mount (15.6")	448.00	327.04	291.20
112571026-00082511	MACH LED PRO, MUAL 2 S, 24V DC, 120° beam angle, surface mount (15.6")	401.00	292.73	260.65
112571027-00082635	MACH LED PRO, MUAL 2 S, 24V AC, 120° beam angle, surface mount (15.6")	418.00	305.14	271.70
112571030-00082788	MACH LED PRO, MUAL 3 S, 24V DC, 30° beam angle, surface mount (22.4")	579.00	422.67	376.35
112571031-00082840	MACH LED PRO, MUAL 3 S, 24V AC, 30° beam angle, surface mount (22.4")	602.00	439.46	391.30
112571032-00082820	MACH LED PRO, MUAL 3 S, 24V DC, 120° beam angle, surface mount (22.4")	535.00	390.55	347.75
112571033-00082842	MACH LED PRO, MUAL 3 S, 24V AC, 120° beam angle, surface mount (22.4")	557.00	406.61	362.05
112571034-00082844	MACH LED PRO, MUAL 4 S, 24V DC, 30° beam angle, surface mount (29.3")	723.00	527.79	469.95
112571035-00082863	MACH LED PRO, MUAL 4 S, 24V AC, 30° beam angle, surface mount (29.3")	755.00	551.15	490.75
112571036-00082846	MACH LED PRO, MUAL 4 S, 24V DC, 120° beam angle, surface mount (29.3")	663.00	483.99	430.95
112571037-00082866	MACH LED PRO, MUAL 4 S, 24V AC, 120° beam angle, surface mount (29.3")	696.00	508.08	452.40
112573000-00499489	LUMATRIS, MSAL 90 S, 24V DC, 36W, rear connection, Light Forming Technology (16.54" x 6.69")	710.00	518.30	461.50
112573000-00608666	LUMATRIS, MSAL 90 S, 24V DC, 36W, side connection (16.54" x 6.69")	639.00	466.47	415.35
112573000-00608673	LUMATRIS, MSAL 90 S, 24V DC, 36W, rear connection (16.54" x 6.69")	639.00	466.47	415.35

112573001-00514271	LUMATRIS, MSAL 90 S, 24V DC, 36W, side connection, Light Forming Technology (16	710.00	518.30	461.50
112574000-00499493	LUMATRIS, MSAL 180 S, 24V DC, 72W, rear connection, Light Forming Technology (3	1,048.00	765.04	681.20
112574000-00608677	LUMATRIS, MSAL 180 S, 24V DC, 72W,, rear connection (30.31" x 6.69")	926.00	675.98	601.90
112574000-00608680	LUMATRIS, MSAL 180 S, 24V DC, 72W, side connection (30.31" x 6.69")	926.00	675.98	601.90
112574001-00511140	LUMATRIS, MSAL 180 S, 24V DC, 72W, side connection, Light Forming Technology (	1,048.00	765.04	681.20
112576000-00562045	TANEO, STZL 12 R, art. arm, 100-240V,15W, 5000K, clear lens (8.6")	629.00	459.17	408.85
112576000-00562055	TANEO, STZL 12 R, art. arm,, 100-240V,15W, 4000K, clear lens (8.6")	629.00	459.17	408.85
112576000-00562095	TANEO, STZL 12 R, art. arm, 100-240V,15W, 4000K, matte lens (8.6")	629.00	459.17	408.85
112576000-00562104	TANEO, STZL 12 R, art. arm, 100-240V,15W, 5000K, matte lens (8.6")	629.00	459.17	408.85
112577000-00562130	TANEO, STZL 24 R, art. arm, 100-240V, 31W, 4000K, clear lens (15.7")	736.00	537.28	478.40
112577000-00562141	TANEO, STZL 24 R, art. arm, 100-240V, 31W, 5000K, matte lens (15.7")	736.00	537.28	478.40
112577000-00562157	TANEO, STZL 24 R, art. arm, 100-240V, 31W, 5000K, clear lens (15.7")	736.00	537.28	478.40
112577000-00562177	TANEO, STZL 24 R, art. arm, 100-240V, 31W, 4000K, matte lens (15.7")	736.00	537.28	478.40
112578000-00562192	TANEO, STZL 36 R, art. arm, 100-240V, 47W 4000K, clear lens (22.7")	844.00	616.12	548.60
112578000-00562207	TANEO, STZL 36 R, art. arm, 100-240V, 47W, 5000K, clear lens (22.7")	844.00	616.12	548.60
112578000-00562219	TANEO, STZL 36 R, art. arm, 100-240V ,47W, 4000K, matte lens (22.7")	844.00	616.12	548.60
112578000-00562228	TANEO, STZL 36 R, art. arm,100-240V, 47W, 5000K, matte lens (22.7")	844.00	616.12	548.60
112885000-00024959	RING LED, RLLQ6, 6W, 100-240V, 50/60Hz, 5.3 diopter, w/universal base	524.00	382.52	340.60
112885M10	RING LED, RLLQ6, 6W, 100-240V, 50/60Hz, 5.3 diopter, w/clamp	534.00	389.82	347.10
112887024-00076049	ONE LED, MVAL 1S, 19.2-28.8V DC, 6W, acrylic, IP54	227.00	165.71	147.55
112887027-00076050	ONE LED, MVAL 1S, 19.2-28.8V DC, 6W, w/mounting bracket, acrylic, IP54	242.00	176.66	157.30
112887034-00076059	ONE LED, MVAL 1S, 19.2-28.8V DC, 6W, glass, IP67	239.00	174.47	155.35
112887037-00076065	ONE LED, MVAL 1S, 19.2-28.8V DC, 6W, w/mounting bracket, glass, IP67	250.00	182.50	162.50
112913010-00488729	RL70CE-124 H, 100-280V, 50/60Hz, acrylic w/louwer (19.5")	317.00	231.41	206.05
112913011-00488735	RL70CE-124 H, 100-280V, 50/60Hz, glass w/louwer (19.5")	340.00	248.20	221.00
112918000-00587322	TEVISIOMAX, LED, 39" reach, 3.5D, w/dimming	782.00	570.86	508.30
112918000-00587326	TEVISIOMAX, LED, 39" reach, 3.5D + 8D, w/dimming	789.00	575.97	512.85
112918000-00587329	TEVISIOMAX LED, 39" reach, 3.5D, w/dimming, w/segment switching	805.00	587.65	523.25
112918000-00587332	TEVISIOMAX, LED, 39" reach, 3.5D + 8D, w/dimming, w/segment switching	812.00	592.76	527.80
112919000-00587335	TEVISIO, LED, 31" reach, 3.5D, w/dimming	759.00	554.07	493.35
112919000-00587338	TEVISIO, LED, 31" reach, 3.5D + 8D, w/dimming	766.00	559.18	497.90
112919000-00587341	TEVISIO, LED, 31" reach, 3.5D, w/dimming, w/segment switching	782.00	570.86	508.30
112919000-00587344	TEVISIO, LED, 31" reach, 3.5D + 8D, w/dimming, w/segment switching	789.00	575.97	512.85
112929000-00501570	MINELA INDUSTRIAL, SOL 1, LED, 120V, silver, 4000K	464.00	338.72	301.60
112973000-00556029	TAMETO, SAH 139, 1x39W T5 LFL, 100-240V (37.6")	409.00	298.57	265.85
112975000-00555619	TAMETO, SAHQ 66, 1x33W LED, 100-240V (37.6")	610.00	445.30	396.50
112977000-00556183	TAMETO, SAH 154, 1x54W T5 LFL, 100-240V (49.5")	436.00	318.28	283.40
112979000-00555677	TAMETO, SAHQ 88 1x43W LED, 100-240V (49.5")	710.00	518.30	461.50
112991000-00562401	TANEO, SARKL 12 R, 15W, Swivel,100-240V, 4000K, clear lens	379.00	276.67	246.35
112991000-00562464	TANEO, SARKL 12 R, 15W, Swivel,100-240V, 5000K, clear lens	379.00	276.67	246.35
112991000-00562476	TANEO, SARKL 12 R, 15W, Swivel,100-240V, 4000K, matte lens	379.00	276.67	246.35
112991000-00562486	TANEO, SARKL 12 R, 15W, Swivel,100-240V, 5000K, matte lens	379.00	276.67	246.35
112992000-00562495	TANEO, SARL 24 R, 31W, Tilting, 100-240V, 4000K, clear lens	445.00	324.85	289.25
112992000-00562510	TANEO, SARL 24 R, 31W, Tilting, 100-240V, 5000K, clear lens	445.00	324.85	289.25
112992000-00562522	TANEO, SARL 24 R, 31W, Tilting, 100-240V, 4000K, matte lens	445.00	324.85	289.25
112992000-00562543	TANEO, SARL 24 R, 31W, Tilting, 100-240V, 5000K, matte lens	445.00	324.85	289.25
112993000-00562556	TANEO, SARL 36 R, 47W, Tilting, 100-240V, 4000K, clear lens	543.00	396.39	352.95
112993000-00562567	TANEO, SARL 36 R, 47W, Tilting, 100-240V, 5000K, clear lens	543.00	396.39	352.95
112993000-00562589	TANEO, SARL 36 R, 47W, Tilting, 100-240V, 4000K, matte lens	543.00	396.39	352.95
112993000-00562598	TANEO, SARL 36 R, 47W, Tilting, 100-240V, 5000K, matte lens	543.00	396.39	352.95
113003000-00555554	FLAT TEC, MZE 224 N, 100-277V AC, recessed (26"x8.7")	698.00	509.54	453.70
113003000-00555558	FLAT TEC, MZE 224 N, 100-277V AC, surface mount (26"x8.7")	698.00	509.54	453.70
113005000-00555570	FLAT TEC, MZE 239 N, 100-277V AC, recessed ( 37.8"x8.7")	811.00	592.03	527.15
113005000-00555573	FLAT TEC, MZE 239 N, 100-277V AC, surface mount (37.8"x8.7")	811.00	592.03	527.15
113007000-00555603	FLAT TEC, MZE 124 N, 100-277V AC, recessed (26"x7.1")	562.00	410.26	365.30
113007000-00555606	FLAT TEC, MZE 124 N, 100-277V AC, surface mount ( 26"x7.1")	562.00	410.26	365.30
113010000-00555640	FLAT TEC, MZE 139 N, 100-277V AC, recessed (37.8"x7.1")	677.00	494.21	440.05
113010000-00555643	FLAT TEC, MZE 139 N, 100-277V AC, surface mount (37.8"x7.1")	677.00	494.21	440.05
113012000-00555673	FLAT TEC, MZE 154 N, 100-277V AC, recessed (49.6"x7.1")	787.00	574.51	511.55
113012000-00555676	FLAT TEC, MZE 154 N, 100-277V AC, surface mount (49.6"x7.1")	787.00	574.51	511.55
113014000-00555688	FLAT TEC, MZE 254 N, 100-277V AC, recessed ( 49.6"x8.7")	923.00	673.79	599.95
113014000-00555691	FLAT TEC, MZE 254 N, 100-277V AC, surface mount (49.6"x8.7")	923.00	673.79	599.95
113015000-00595377	TEVISIOMAX ESD, LED, 39" reach, w/ESD clamp	995.00	726.35	646.75
113016000-00595384	TEVISIO ESD, LED, 31" reach, w/ESD clamp	977.00	713.21	635.05
113045000-00580702	MACH LED PLUS, MQAL 12 S, 24V DC, 7W, ECO (14.5")	328.00	239.44	213.20
113046000-00580696	MACH LED PLUS, MQAL 12 SD, 24V DC, 7W, ECO, THRU-WIRE (14.5")	378.00	275.94	245.70
113047000-00580693	MACH LED PLUS, MQAL 24 S, 24V DC, 12W, HIGH OUTPUT (14.5")	362.00	264.26	235.30
113048000-00580573	MACH LED PLUS, MQAL 24 SD, 24V DC, 12W, HIGH OUTPUT, THRU-WIRE (14.5")	412.00	300.76	267.80

113049000-00580576	MACH LED PLUS, MQAL 12 N, 120-230V AC, 9W, ECO (14.5")	396.00	289.08	257.40
113050000-00580579	MACH LED PLUS, MQAL 12 ND, 120-230V AC, 9W, ECO, THRU-WIRE (14.5")	446.00	325.58	289.90
113051000-00580582	MACH LED PLUS, MQAL 24 N, 120-230V AC, 15W, HIGH OUTPUT (14.5")	431.00	314.63	280.15
113052000-00580585	MACH LED PLUS, MQAL 24 ND, 120-230V AC, 15W, HIGH OUTPUT, THRU-WIRE (14.5")	480.00	350.40	312.00
113053000-00580588	MACH LED PLUS, MQAL 18 S, 24V DC, 10W, ECO (20.1")	390.00	284.70	253.50
113054000-00580591	MACH LED PLUS, MQAL 18 SD, 24V DC, 10W, ECO, THRU-WIRE (20.1")	439.00	320.47	285.35
113055000-00580594	MACH LED PLUS, MQAL 36 S, 24V DC, 18W, HIGH OUTPUT (20.1")	423.00	308.79	274.95
113056000-00580597	MACH LED PLUS, MQAL 36 SD, 24V DC, 18W, HIGH OUTPUT, THRU-WIRE (20.1")	473.00	345.29	307.45
113057000-00580600	MACH LED PLUS, MQAL 18 N, 120-230V AC, 12W, ECO (20.1")	458.00	334.34	297.70
113058000-00580603	MACH LED PLUS, MQAL 18 ND, 120-230V AC, 12W, ECO, THRU-WIRE (20.1")	507.00	370.11	329.55
113059000-00580606	MACH LED PLUS, MQAL 36 N, 120-230V AC, 21W, HIGH OUTPUT (20.1")	491.00	358.43	319.15
113060000-00580609	MACH LED PLUS, MQAL 36 ND, 120-230V AC, 21W, HIGH OUTPUT, THRU-WIRE (20.1")	541.00	394.93	351.65
113061000-00580612	MACH LED PLUS, MQAL 18 S, 24V DC, 10W, ECO (22.2")	410.00	299.30	266.50
113062000-00580615	MACH LED PLUS, MQAL 18 SD, 24V DC, 10W, ECO, THRU-WIRE (22.2")	459.00	335.07	298.35
113063000-00580618	MACH LED PLUS, MQAL 36 S, 24V DC, 18W, HIGH OUTPUT (22.2")	444.00	324.12	288.60
113064000-00580621	MACH LED PLUS, MQAL 36 SD, 24V DC, 18W, HIGH OUTPUT, THRU-WIRE (22.2")	493.00	359.89	320.45
113065000-00580624	MACH LED PLUS, MQAL 18 N, 120-230V AC, 12W, ECO (22.2")	478.00	348.94	310.70
113066000-00580630	MACH LED PLUS, MQAL 18 ND, 120-230V AC, 12W, ECO, THRU-WIRE (22.2")	527.00	384.71	342.55
113067000-00580633	MACH LED PLUS, MQAL 36 N, 120-230V AC, 21W, HIGH OUTPUT (22.2")	512.00	373.76	332.80
113068000-00580636	MACH LED PLUS, MQAL 36 ND, 120-230V AC, 21W, HIGH OUTPUT, THRU-WIRE (22.2")	561.00	409.53	364.65
113069000-00580639	MACH LED PLUS, MQAL 24 S, 24V DC, 13W, ECO (25.6")	450.00	328.50	292.50
113070000-00580642	MACH LED PLUS, MQAL 24 SD, 24V DC, 13W, ECO, THRU-WIRE (25.6")	501.00	365.73	325.65
113071000-00580645	MACH LED PLUS, MQAL 48 S, 24V DC, 24W, HIGH OUTPUT (25.6")	485.00	354.05	315.25
113072000-00580648	MACH LED PLUS, MQAL 48 SD, 24V DC, 24W, HIGH OUTPUT, THRU-WIRE (25.6")	534.00	389.82	347.10
113073000-00580651	MACH LED PLUS, MQAL 24 N, 120-230V AC, 15W, ECO (25.6")	519.00	378.87	337.35
113074000-00580654	MACH LED PLUS, MQAL 24 ND, 120-230V AC, 15W, ECO, THRU-WIRE (25.6")	568.00	414.64	369.20
113075000-00580657	MACH LED PLUS, MQAL 48 N, 120-230V AC, 27W, HIGH OUTPUT (25.6")	553.00	403.69	359.45
113076000-00580660	MACH LED PLUS, MQAL 48 ND, 120-230V AC, 27W, HIGH OUTPUT, THRU-WIRE (25.6")	602.00	439.46	391.30
113077000-00580663	MACH LED PLUS, MQAL 30 S, 24V DC, 16W, ECO (31.1")	512.00	373.76	332.80
113078000-00580666	MACH LED PLUS, MQAL 30 SD, 24V DC, 16W, ECO, THRU-WIRE (31.1")	561.00	409.53	364.65
113079000-00580669	MACH LED PLUS, MQAL 30 N, 120-230V AC, 20W, ECO (31.1")	581.00	424.13	377.65
113080000-00580672	MACH LED PLUS, MQAL 30 ND, 120-230V AC, 20W, ECO, THRU-WIRE (31.1")	628.00	458.44	408.20
113081000-00580675	MACH LED PLUS, MQAL 42 S, 24V DC, 22W, ECO (42.1")	635.00	463.55	412.75
113082000-00580681	MACH LED PLUS, MQAL 42 SD, 24V DC, 22W, ECO, THRU-WIRE (42.1")	683.00	498.59	443.95
113083000-00580684	MACH LED PLUS, MQAL 42 N, 120-230V AC, 26W, ECO (42.1")	704.00	513.92	457.60
113084000-00580690	MACH LED PLUS, MQAL 42 ND, 120-230V AC, 26W, ECO THRU-WIRE (42.1")	750.00	547.50	487.50
113094000-00596722	LUMATRIS, MSAL 24 S, 24V DC, 10W, side connection, Light Forming (9.7"X3.7")	392.00	286.16	254.80
113094000-00596788	LUMATRIS, MSAL 24 S, 24V DC, 10W,, rear connection, Light Forming (9.7"X3.7")	392.00	286.16	254.80
113094000-00596791	LUMATRIS, MSAL 24 S, 24V DC, 10W, side connection (9.7"X3.7")	358.00	261.34	232.70
113094000-00596794	LUMATRIS, MSAL 24 S, 24V DC, 10W, rear connection (9.7"X3.7")	358.00	261.34	232.70
113095000-00596761	LUMATRIS, MSAL 48 S, 24V DC, 20W, side connection, Light Forming (16.5"X3.7)	473.00	345.29	307.45
113095000-00596803	LUMATRIS, MSAL 48 S, 24V DC, 20W, rear connection, Light Forming (16.5"X3.7")	473.00	345.29	307.45
113095000-00596806	LUMATRIS, MSAL 48 S, 24V DC, 20W, side connection (16.5"X3.7)	439.00	320.47	285.35
113095000-00596809	LUMATRIS, MSAL 48 S, 24V DC, 20W, rear connection (16.5"X3.7)	439.00	320.47	285.35
113096000-00596764	LUMATRIS, MSAL 72 S, 24V DC, 30W, side connection, Lighting Forming (23.5"X3.7")	554.00	404.42	360.10
113096000-00596857	LUMATRIS, MSAL 72 S, 24V DC, 30W, rear connection, Lighting Forming (23.5"X3.7")	554.00	404.42	360.10
113096000-00596862	LUMATRIS, MSAL 72 S, 24V DC, 30W, side connection (23.5"X3.7")	520.00	379.60	338.00
113096000-00596870	LUMATRIS, MSAL 72 S, 24V DC, 30W, rear connection (23.5"X3.7")	520.00	379.60	338.00
113097000-00596767	LUMATRIS, MSAL 96 S, 24V DC, 40W, side connection, Lighting Forming (30.3" x 3.7)	636.00	464.28	413.40
113097000-00596874	LUMATRIS, MSAL 96 S, 24V DC, 40W, rear connection, Lighting Forming (30.3" x 3.7)	636.00	464.28	413.40
113097000-00596877	LUMATRIS, MSAL 96 S, 24V DC, 40W, 30.3"X3.7", side connection (30.3" x 3.7")	602.00	439.46	391.30
113097000-00596880	LUMATRIS, MSAL 96 S, 24V DC, 40W, rear connection (30.3" x 3.7")	602.00	439.46	391.30
113122000-00609807	MACH LED PLUS, MQAL 48 SD, 24V DC, 42W, HIGH OUTPUT, THRU-WIRE (42.1")	716.00	522.68	465.40
113124000-00611855	MACH LED PLUS, MQAL 60 S, 24V DC, 30W, HIGH OUTPUT (31.1")	525.00	383.25	341.25
113125000-00612844	MACH LED PLUS, MQAL 60 SD, 24V DC, 30W, HIGH OUTPUT, THRU-WIRE (31.1")	594.00	433.62	386.10
113126000-00612973	MACH LED PLUS, MQAL 84 S, 24V DC, 42W, HIGH OUTPUT (42.1")	643.00	469.39	417.95
118261000-00000016	SAMKC-136,120V, 1x36W (19.4")	242.00	176.66	157.30
128100000-00084831	RL70E-117, 120-277V, 50/60Hz, acrylic (40.6")	347.00	253.31	225.55
128100001-00084832	RL70E-117, 120-277V, 50/60Hz, glass (40.6")	375.00	273.75	243.75
128110000-00084833	RL70E-125, 120-277V, 50/60Hz, acrylic (52.6")	370.00	270.10	240.50
128110001-00084834	RL70E-125, 120-277V, 50/60Hz, glass (52.6")	406.00	296.38	263.90
128120000-00084835	RL70E-132, 120-277V, 50/60Hz, acrylic (65.2")	392.00	286.16	254.80
128120001-00084836	RL70E-132, 120-277V, 50/60Hz, glass (65.2")	425.00	310.25	276.25
128130000-00084837	RL70-117 S, acrylic (30.9")	227.00	165.71	147.55
128140000-00084839	RL70-125 S, acrylic (42.9")	250.00	182.50	162.50
128140001-00084840	RL70-125 S, glass (42.9")	291.00	212.43	189.15
128150000-00084841	RL70-132 S, acrylic (54.9")	273.00	199.29	177.45
128150001-00084842	RL70-132 S, glass (54.9")	317.00	231.41	206.05

138427000-00091102	SAMC-236, 120V, 2x36W (35.8")	466.00	340.18	302.90
138429001-00012510	SAMCE-236, 120V, 2X36W, 35.8" w/electronic ballast	520.00	379.60	338.00
138439001-00012555	SAMZCE-236, 120V	536.00	391.28	348.40
138446021-00050923	STE-155T, 120V, 5400K, w/36" reach task light, w/clamp, arm on left	816.00	595.68	530.40
138446022-00007944	STE-155T, 120V, 5400K, w/36" reach task light, w/clamp, arm on center	816.00	595.68	530.40
138450000-00019726	RL70E-239, 120-277V, 50/60Hz, acrylic (52.7")	414.00	302.22	269.10
138450001-00019727	RL70E-239, 120-277V, 50/60Hz, glass (52.7")	443.00	323.39	287.95
138451000-00019665	RL70E-224, 120-277V, 50/60Hz, acrylic (41.2")	390.00	284.70	253.50
138451001-00019672	RL70E-224, 120-277V, 50/60Hz, glass (41.2")	414.00	302.22	269.10
138453000-00019569	RL70-239 S, acrylic (41.6")	274.00	200.02	178.10
138453001-00019587	RL70-239 S, glass (41.6")	315.00	229.95	204.75
138462000-00020894	SNE-136, 120-230V, 4100K, w/35" reach tasklight, w/o magnifier, w/clamp	472.00	344.56	306.80
138462003-00020895	SNE-136, 120V, 5400K, w/35" reach tasklight, w/o magnifier, w/clamp	501.00	365.73	325.65
138474000-00081649	ABTL1, gooseneck, w/detachable head, 6°, w/16mm pin	364.00	265.72	236.60
138474010-00081650	ABTL1, gooseneck, w/detachable head, 25°, w/16mm pin	364.00	265.72	236.60
138491001-00488841	RL70E-254, 120V, glass (67.4"), UL approved	572.00	417.56	371.80
150048019-00014631	Transformer, 60VA, 230-23.5V, 50/60Hz (HG 24V models)	117.00	85.41	
150124019-00014727	Transformer, 20VA, 120-11V, 50/60Hz (HP)	64.00	46.72	
150125M19	Transformer, 60VA, 120-23.5V, 50/60Hz (HG 24V models)	82.00	59.86	
150127M19	Transformer, enclosed w/case, 60VA, 120-23.5V, 50/60Hz (HG 24V models)	137.00	100.01	
150148019-00014764	Transformer, enclosed, 20VA, 120-11V, 50/60Hz (HI series 12V models)	182.00	132.86	
190007019-00014904	Mounting Clamp, 0-2.75" (HG series, HSW series, HI series, WD)	38.00	27.74	
190015019-00014930	Bracket, each, straight, galv. steel, neoprene inserts (RL70 )	22.00	16.06	
190015719-00085498	Bracket, each, straight, galv. steel, profiled rubber inserts (RL70)	23.00	16.79	
190033019-00014950	Mounting Clamp, 2.5-5.3in (HG series, HSW series, HI series, WD)	40.00	29.20	
190036109-00058238	Table Base, ESD, black	151.00	110.23	
190036119-00065399	Table Base, light gray (HIBF, HITF)	123.00	89.79	
190054019-00015051	Magnifier, Add-X 4d (RLLE-122)	104.00	75.92	
190057019-00015056	Magnetic Base (HIXF, HITF, SPOT LED)	43.00	31.39	
190062019-00015058	Magnifier, 4d clip-on lens (HI series)	115.00	83.95	
190062029-00015059	Magnifier, 4d + 12d clip-on lens (HI series)	128.00	93.44	
190080049-00061280	Magnifier, Add-X 4d ESD (Omnivue ESD)	162.00	118.26	
190100019-00007368	Clamp, C-type	35.00	25.55	
190100029-00089021	Clamp, C-type, ESD	43.00	31.39	
190169719-00089351	Bracket, each, long-l, stainless steel, profiled rubber inserts (RL70)	52.00	37.96	
190174029-00086600	Mounting Strap, snap-in, adjustable (MACH LED)	20.00	14.60	
190180019-00092731	Bracket, each, straight, stainless steel, neoprene inserts (RL70 )	44.00	32.12	
190180719-00092730	Bracket, each, straight, stainless steel, profiled rubber inserts (RL70)	52.00	37.96	
190181019-00092728	Bracket, each, short-l, stainless steel, neoprene inserts (RL70)	42.00	30.66	
190181719-00092729	Bracket, each, short-l, stainless steel, profiled rubber inserts (RL70)	50.00	36.50	
190182019-00078702	Magnifier, 3d clip-on lens (SNE)	185.00	135.05	
190183019-00093961	Bracket, each, long-l, stainless steel, neoprene inserts (RL70 )	44.00	32.12	
190186019-00009644	Table Base, plastic, black	152.00	110.96	
190207019-00575900	Magnifier, Clip-on, 3.5X (TANEO)	168.00	122.64	
190208019-0575924	Magnifier, Clip-on, 3.5X (TEVISIO)	174.00	127.02	
191092019-00086727	Wall Bracket, black (AWD)	23.00	16.79	
203081019-00019478	Swivel Bracket (EBL)	44.00	32.12	
205652049-00066599	Acrylic Shield, clip, shock guard cap (PAL)	41.00	29.93	
208128019-00023393	Mounting Clip, magnetic (PAL)	23.00	16.79	
208136019-00023405	Mounting Clip (PAL)	22.00	16.06	
209582019-00048793	Operating Device, Type A, 19.2V-28.8V, 700mA	101.00	73.73	
209582029-00048794	Operating Device, Type B, 19.2V-28.8V, 1000mA	101.00	73.73	
209585019-00045202	Operating Device, VLM, 95V-240V, 700mA	85.00	62.05	
209585029-00098930	LED Driver, 120V-240V, 24V DC, 20W max. (MACH LED)	100.00	73.00	
225234019-00045163	Diffuser, acrylic, semi-clear, tinted yellow (WD, EBL)	19.00	13.87	
225234029-00039782	Diffuser, polycarbonate, semi-clear, colorless (WD, EBL)	19.00	13.87	
225234039-00039783	Diffuser, polyurethane, semi-clear, tinted yellow (WD, EBL)	32.00	23.36	
225303019-00098686	Glass Lens, clear (HI series)	9.00	6.57	
226108019-00610754	Wall Bracket (TEVISIO, TANEO)	47.00	34.31	
300213018-00025178	Wall Bracket (HG series, HSW series, HI series, LED)	28.00	20.44	
300593010-00026362	Fuse, T1.6A, 24V, 20W (each)	6.00	4.38	
300593020-00026363	Fuse, T3A, 12V, 20W (each)	6.00	4.38	
305041010-00085839	Glass Lens, clear (HSW-75 series)	38.00	27.74	
305169010-00028895	Tube, RL70, Acrylic (20.31")	62.00	45.26	
305169020-00028897	Tube, RL70, Acrylic (23.27")	64.00	46.72	
305169030-00028899	Tube, RL70, Acrylic (29.25")	75.00	54.75	
305169040-00028901	Tube, RL70, Acrylic (53.27")	123.00	89.79	
305169060-00028905	Tube, RL70, Acrylic (17.24")	62.00	45.26	

305169070-00028907	Tube, RL70, Acrylic (14.09")	55.00	40.15
305169100-00028913	Tube, RL70, Acrylic (36.50")	85.00	62.05
305169130-00028919	Tube, RL70, Acrylic (27.52")	72.00	52.56
305169180-00028928	Tube, RL70, Acrylic (36.50")	85.00	62.05
305169330-00060960	Tube, RL70, Acrylic (18.54")	62.00	45.26
305169400-00066938	Tube, RL70, Acrylic (58.43")	128.00	93.44
305169500-00066941	Tube, RL70, Acrylic (30.67")	75.00	54.75
305169520-00083591	Tube, RL70, Acrylic (62.95")	128.00	93.44
305169600-00078073	Tube, RL70, Acrylic (38.94")	85.00	62.05
305169700-00021869	Tube, RL70, Acrylic (50.94")	110.00	80.30
305169710-00081121	Tube, RL70, Acrylic (41.26")	100.00	73.00
305169780-00081121	Tube, RL70, Acrylic (52.53")	117.00	85.41
305169910-00012325	Tube, RL70, Acrylic (18.74")	62.00	45.26
305204030-00029120	Glass Lens, tempered, clear (HSWT-20, HSW-20)	28.00	20.44
305204040-00029122	Glass Lens, tempered, milky (HSWT-20, HSW-20)	28.00	20.44
305226010-00029164	Tube, RL70, Glass (14.09")	100.00	73.00
305226020-00029166	Tube, RL70, Glass (17.24")	100.00	73.00
305226030-00029168	Tube, RL70, Glass (53.27")	187.00	136.51
305226040-00029170	Tube, RL70, Glass (29.25")	116.00	84.68
305226050-00029172	Tube, RL70, Glass (20.31")	115.00	83.95
305226060-00029174	Tube, RL70, Glass (23.27")	116.00	84.68
305226080-00029178	Tube, RL70, Glass (36.50")	148.00	108.04
305226140-00029189	Tube, RL70, Glass (27.52")	116.00	84.68
305226270-00066942	Tube, RL70, Glass (34.50")	138.00	100.74
305226280-00062393	Tube, RL70, Glass (18.54")	100.00	73.00
305226330-00066943	Tube, RL70, Glass (58.42")	188.00	137.24
305226340-00062133	Tube, RL70, Glass (52.32")	186.00	135.78
305226380-00065439	Tube, RL70, Glass (30.67")	116.00	84.68
305226490-00088146	Tube, RL70, Glass (38.94")	153.00	111.69
305226510-00013450	Tube, RL70, Glass (63.58")	190.00	138.70
305226520-00056834	Tube, RL70, Glass (41.26")	153.00	111.69
305226660-00031768	Tube, RL70, Glass (26.37")	116.00	84.68
305226670-00026120	Tube, RL70, Glass (67.01")	216.00	157.68
305226680-00026124	Tube, RL70, Glass (40.87")	153.00	111.69
305226720-00002375	Tube, RL70, Glass (18.74")	100.00	73.00
305412010-00029513	Glass Lens, hardened, clear (HG series)	38.00	27.74
305412020-00029515	Glass Lens, hardened, frosted (HG series)	38.00	27.74
306266022-00085912	Mounting Clip, fixed, non-adjustable (MACH LED)	5.00	3.65
309015030-00477925	Ballast, 1x18W, 24V DC, electronic	168.00	122.64
309323M10	Ballast, 22W Circline (RLLE)	40.00	29.20
309355M20	Ballast, 1x24/39W, 120-277V, 50/60Hz (RL40-124, -139)	95.00	69.35
309361050-00092219	Ballast, 120-277V, 1/2x24/39W	148.00	108.04
309439010-00093716	Ballast, 1/2x18/24/36W, 120-277V, 50-60Hz	69.00	50.37
320283060-00004596	Lamp, halogen, QT-LP12, 24V, 75W, GY6.35 (HSW-75, HSWK-75)	14.00	10.22
320471010-00058285	Lamp, halogen, MRC-16, 12V, 20W, 10° (HI series)	43.00	31.39
320471020-00058286	Lamp, halogen, MRC-16, 12V, 20W, 24° (HI series)	20.00	14.60
320471030-00067611	Lamp, halogen, MRC-16, 12V, 20W, 38° (HI series)	20.00	14.60
320471040-00067612	Lamp, halogen, MRC-16, 12V, 20W, 60° (HI series)	20.00	14.60
320471090-00064557	Lamp, halogen, MR-16, 12V, 20W, 10° (HSW-20)	43.00	31.39
320471110-00053140	Lamp, halogen, MR-16, 12V, 20W, 38° (HSW-20)	43.00	31.39
320724010-00067912	Lamp, halogen, MRC-16, 24V, 23W, 10° (HI series)	43.00	31.39
325713120-00012483	Tube, RL70, Acrylic (21.1")	62.00	45.26
330530030-00078554	Cord with US Plug (TANEO)	10.00	7.30
330538010-00098572	Lens, 10 degree	24.00	17.52
330538050-00477791	Lens, 40 degree	24.00	17.52
330603020-00002947	M12 Connector Plug (HEAD LED)	19.00	13.87
330634010-00003970	M12 Connector Plug, 4-pin (FLAT TEC, MACH LED PLUS)	34.00	24.82
330994050-00471458	US Plug, 14W LED (TEVISIO)	3.00	2.19
335035010-00019431	Tube, RL70, Glass (21.14")	115.00	83.95
335035040-00005975	Tube, RL70, Glass (17.60")	100.00	73.00
336047120-00553694	Plug-in Power Supply 12 R, 24V (TANEO)	52.00	37.96
336047160-00559611	In-line Power Supply 24 R/36 R, 24V (TANEO)	57.00	41.61
336610010-00515612	Clear Lens (CDP) for 12 R TANEO (7.3")	16.00	11.68
336610020-00515645	Clear Lens (CDP) for 24 R TANEO (14.4")	19.00	13.87
336610030-00515648	Clear Lens (CDP) for 36 R TANEO (21.4")	21.00	15.33
336615019-00522018	M12 Connector, straight 5 pin, <48W (LUMATRIS)	33.00	24.09
336615029-00522015	M12 Connector, angled 5 pin (Lumatris)	33.00	24.09
336703010-00582109	Cable, 24V, for M12 4-pin connector, 9' in length	45.00	32.85



336703020-00543341	Cable, 24V, for M12 4-pin connector, 22' in length	60.00	43.80	
336763010-00559483	Matte Lens for 12 R TANEO (7.3")	18.00	13.14	
336763020-00559486	Matte Lens for 24 R TANEO (14.4")	20.00	14.60	
336763030-00559489	Matte Lens for 36 R TANEO (21.4")	22.00	16.06	
336882010-00597541	M12 Connector, straight 5 pin, >48W (LUMATRIS)	39.00	28.47	
336883010-00597530	M12 Connector, A-coded, 4 pin, female (FOR 24V)	35.00	25.55	
336884010-00597520	M12 Connector, A-coded, 4 pin, male (FOR 24V)	35.00	25.55	
336885010-00597538	M12 Connector, S-coded, 4 pin, female (FOR 120/230V)	39.00	28.47	
336886010-00597535	M12 Connector, S-coded, 4 pin, male (FOR 120/230V)	39.00	28.47	
336891010-00597943	Cable, 120-230V for M12 4-pin connector, 9' in length	48.00	35.04	
336891020-00597948	Cable, 120-230V for M12 4-pin connector, 22' in length	68.00	49.64	
406125440-00078798	Cord, 20/3, Black 80C, 500V (MACH LED) per foot	5.00	3.65	
408001016-00595619	Mounting Frame, 9.7"x3.7" (LUMATRIS)	64.00	46.72	
408001017-00595613	Mounting Frame, 16.5"x3.7" (LUMATRIS)	81.00	59.13	
408001018-00595610	Mounting Frame, 23.5"x3.7" (LUMATRIS)	98.00	71.54	
408001019-00595616	Mounting Frame, 30.3"x3.7" (LUMATRIS)	115.00	83.95	
408001033-00514262	Mounting Pivoting Arm (LUMATRIS)	107.00	78.11	
408001034-00514265	Mounting Frame, 30.3"x6.7" (LUMATRIS)	107.00	78.11	
408001035-00514268	Mounting Bracket for side mount, pair, for 6.7" width (LUMATRIS)	34.00	24.82	
408001037-00518121	Mounting Frame, 16.5"x6.7" (LUMATRIS)	80.00	58.40	
408001586-00578088	Bracket, adjustable (TAMETO)	70.00	51.10	
408001875-00582072	Protective Cap Set (MACH LED PLUS)	50.00	36.50	
408001876-00582065	Bracket, End Bracket +/- 65° range (MACH LED PLUS)	31.00	22.63	
408001878-00585535	Bracket, +/- 30° (MACH LED PLUS)	21.00	15.33	
408001952-00459389	Mounting Ring Kit, aluminum (MACH LED)	38.00	27.74	
408011015-00595587	Mounting Bracket for side mount, pair, for 3.7" width (LUMATRIS)	27.00	19.71	
450009120-00041373	Lamp, fluorescent, PL-S 9W, 4100K	25.00	18.25	
450013120-00041400	Lamp, fluorescent, PL-S 13W, 4100K (WD, EBL, PAL)	24.00	17.52	
450013132-00058167	Lamp, fluorescent, PL-C 13W, 4100K	28.00	20.44	
450017020-00071882	Lamp, fluorescent, F17T8, 17W, 4100K	20.00	14.60	
450018010-00041422	Lamp, fluorescent, PL-L 18W, 4100K	30.00	21.90	
450018013-00051042	Lamp, fluorescent, F18T8, 18W, 4100K	16.00	11.68	
450024M10	Lamp, fluorescent, PL-L 24W, 4100K	30.00	21.90	
450024M12	Lamp, fluorescent, T5HO, 24W, 4100K	25.00	18.25	
450025020-00084518	Lamp, fluorescent, F25T8, 25W, 4100K	19.00	13.87	
450032020-00066818	Lamp, fluorescent, F32T8, 32W, 4100K	16.00	11.68	
450036122-00041479	Lamp, CFL, 36W, 2G11, 4100K	19.00	13.87	
450036190-00041493	Lamp, fluorescent, PL-L 36W, 5400K (SNE)	38.00	27.74	
450036222-00062234	Lamp, fluorescent, PL-L 36W, 6000K (SNE)	38.00	27.74	
450036M10	Lamp, fluorescent, PL-L 36W, 4100K (SNE)	38.00	27.74	
450039012-00074868	Lamp, LFL, 39W, G5, 4100K, T5	25.00	18.25	
450054012-00069325	Lamp, fluorescent, T5HO, 54W, 4100K	33.00	24.09	
450055032-00060524	Lamp, fluorescent, CFL 55W, 5400K (STE-155T)	38.00	27.74	
450058182-00080538	Lamp, fluorescent, T8, 58W, 5000K	31.00	22.63	
450070300-00041540	Lamp, halogen, 24V, 60W, H3 (HGW 24V and 120V models)	19.00	13.87	
619063010-00077590	RL70CE-136H, 110-230V, 50-60Hz, acrylic (23") w/louver, A end caps (23")	338.00	246.74	219.70
619063011-00005922	RL70CE-136H, 110-230V, 50-60Hz, glass (23") w/louver, C end caps (23")	368.00	268.64	239.20
D68158020	Transformer, plug-in, 5-20 VA, 120-12V	45.00	32.85	
ILL00100C-00050472	Clamp, table	34.00	24.82	
ILL00500C	Base, table, black, metal	47.00	34.31	
SK0995719-00085652	Bracket, each, short-l, galv. steel, profiled rubber inserts (RL70)	23.00	16.79	
SK1021719-00085499	Bracket, each, long-l, galv. steel, profiled rubber inserts (RL70 )	23.00	16.79	
SK3618011-00089152	½" Base Mount Adapter (HI series, Omnivue, RLLE, SNE)	38.00	27.74	
US0007013	Lamp, fluorescent, PL-S 9W/08 BLB, UVA (OMNIVUE UVA)	60.00	43.80	
US0011013	Fuse, T3.5A, 23.5V, 60W (each)	16.00	11.68	
US0050043	Cord, 18AWG/7, AWM STYLE 2587, PVC, 90°, 600V, UL/CSA, per foot	6.00	4.38	
US0093023	Cord, 18AWG/5, SJTOOW, 105°, per foot (used w/RL70,RL40 series w/remote ballast)	4.00	2.92	
US0093033	Cord, 18AWG/5, AWM STYLE 2587, PVC, 90°, 600V, UL/CSA, per foot	6.00	4.38	
US0165012	Bracket, pair, molded endcap, plastic, black (RL70 )	40.00	29.20	
US0209012	½" Pin Mount Adapter, 3.75" long (for workstations)	44.00	32.12	
US0209022	½" Pin Mount Adapter, 1.77" long (for workstations)	36.00	26.28	
US0223023	Ballast, 1x13/18W or 2x13/18W, 120-277V, 50/60Hz (AWD)	82.00	59.86	
US0224043	Transformer, Electronic, 20-75VA, 120-11.6V, 50/60Hz (HI/HG/HSW 12V models)	39.00	28.47	
US0300000	Louver, 47.7in (1209mm), 7 piece	126.00	91.98	
US0300010	Louver, 7.8in (197mm), 1 piece	20.00	14.60	
US0300020	Louver, 11.8in (298mm), 2 piece	37.00	27.01	
US0300030	Louver, 9.3in (237mm), 2 piece	37.00	27.01	
US0300040	Louver, 15.5in (394mm), 2 piece	37.00	27.01	

US0300050	Louver, 12.4in (316mm), 2 piece	37.00	27.01	
US0300060	Louver, 14.3in (362mm), 2 piece	37.00	27.01	
US0300070	Louver, 5.4in (136mm), 1 piece	20.00	14.60	
US0300080	Louver, 35.9in (911mm), 5 piece	93.00	67.89	
US0300090	Louver, 43.6in (1108mm), 6 piece	126.00	91.98	
US0300100	Louver, 45.2in (1148mm), 7 piece	126.00	91.98	
US0300110	Louver, 33.5in (851mm), 5 piece	93.00	67.89	
US0300120	Louver, 22.1in (560mm), 4 piece	72.00	52.56	
US0300130	Louver, 46.5in (1182mm), 6 piece	107.00	78.11	
US0300140	Louver, 34.5in (877mm), 5 piece	93.00	67.89	
US0300150	Louver, 22.5in (572mm), 5 piece	93.00	67.89	
US0300160	Louver, 23.3in (591mm), 3 piece	54.00	39.42	
US0300170	Louver, 27.5in (699mm), 4 piece	72.00	52.56	
US0300180	Louver, 8.3in (211mm), 2 piece	62.00	45.26	
US0300190	Louver, 14.3in (364mm), 2 piece	37.00	27.01	
US1043019	Portable Stand, black, w/5-leg base	200.00	146.00	
US2113019	Ballast, 13-18W in-line (PAL)	32.00	23.36	

