



ENGINEER OF LIGHT.

9 W. Century Drive
 Wheeling, IL 60090
 Tel: 800-634-0007
 Fax: 847-520-1730

www.waldmannlighting.com

**2014 INDUSTRIAL PRICE LIST
 EFFECTIVE 1/1/14**

Please call for a price quotation
 for quantities of 50+ units.

| WALDMANN PART NUMBER | DESCRIPTION | 2014 List Price | DISCOUNT PRICING | |
|-------------------------|---|-----------------------|------------------------------------|--------------------------------------|
| | | | 1 - 9 QTY 27% off List Price | 10 - 49 QTY 35% off List Price |
| 000364000 | Light Projector (HI) | 263.00 | 191.99 | |
| 001364002-00001577 | Fiberoptic Tube (HI) | 284.00 | 207.32 | |
| 008308800 | HGWK-70, pivoting head, w/out switch, 24V DC | 265.00 | 193.45 | 172.25 |
| 008308802 | HGWK-70, pivoting head, w/switch, 24V DC, | 276.00 | 201.48 | 179.40 |
| 047803000 | OMNIVUEMAX, 120V, magnetic ballast w/43" reach w/ clamp | 499.00 | 364.27 | 324.35 |
| 100870801 | HGW-70, articulating arm, 18" arm, w/switch, 24V DC | 316.00 | 230.68 | 205.40 |
| 100870803 | HGW-70, articulating arm, 32" arm, w/switch, 24V DC | 316.00 | 230.68 | 205.40 |
| 108540000 | PAL-113, 120V | 112.00 | 81.76 | 72.80 |
| 108870801 | HGW-70, articulating arm, 18" arm, in-line transformer, 120v | 400.00 | 292.00 | 260.00 |
| 108870802 | HGW-70, articulating arm, 32" arm, in-line transformer, 120v | 407.00 | 297.11 | 264.55 |
| 112459006 | SPOT LED, MCFXL 3 S, pivoting head w/out transformer, 40°, 24V AC/DC, w/out switch | 415.00 | 302.95 | 269.75 |
| 112462003 | SPOT LED, MCTFL 3 S, gooseneck arm, w/out transformer, 40°, 24V AC/DC | 496.00 | 362.08 | 322.40 |
| 112462009 | SPOT LED, MCTFL 3 N, gooseneck arm, w/transformer, 40°, 100-240V, 50/60Hz | 557.00 | 406.61 | 362.05 |
| 112463003 | SPOT LED, MCBFL 3 S, articulating arm w/out transformer, 40°, 24V AC/DC | 534.00 | 389.82 | 347.10 |
| 112463009 | SPOT LED, MCBFL 3 N, articulating arm w/transformer, 40°, 100-240V, 50/60Hz | 591.00 | 431.43 | 384.15 |
| 118790000 | OMNIVUE, 120V, magnetic ballast w/35" reach | 499.00 | 364.27 | 324.35 |
| 128100900 | RL70E-117, 120-277V, 50/60Hz, acrylic, w/cordset (40.6") | 349.00 | 254.77 | 226.85 |
| 128100901 | RL70E-117, 120-277V, 50/60Hz, glass w/cordset (40.6") | 376.00 | 274.48 | 244.40 |
| 128110900 | RL70E-125, 120-277V, 50/60Hz, acrylic, w/cordset (52.6") | 370.00 | 270.10 | 240.50 |
| 128110901 | RL70E-125, 120-277V, 50/60Hz, glass, w/cordset (52.6") | 405.00 | 295.65 | 263.25 |
| 128120900 | RL70E-132, 120-277V, 50/60Hz, acrylic, w/cordset (64.6") | 393.00 | 286.89 | 255.45 |
| 128120901 | RL70E-132, 120-277V, 50/60Hz, glass, w/cordset (64.6") | 424.00 | 309.52 | 275.60 |
| 128130001 | RL70-117 S, glass (30.9") | 246.00 | 179.58 | 159.90 |
| 138425000 | OMNIVUE ESD, 120V, w/35" reach, 3 diopter | 779.00 | 568.67 | 506.35 |
| 138425001 | OMNIVUEMAX ESD, 120V, w/43" reach, 3 diopter | 779.00 | 568.67 | 506.35 |
| 138442000 | RLLE-122, 120V, 4d, w/37" reach, w/clamp | 377.00 | 275.21 | 245.05 |
| 138442001 | RLLE-122, 120V, 4d+12d, w/37" reach, w/clamp | 398.00 | 290.54 | 258.70 |
| 138442005 | RLLE-122 Max, 120V, 4d, w/43.5" reach, w/clamp | 408.00 | 297.84 | 265.20 |
| 138442009 | RLLE-122 Max, 120V, 4d+12d, w/43.5" reach, w/clamp | 417.00 | 304.41 | 271.05 |
| 190015021 | Bracket, each, long-l, galv. steel, neoprene inserts (RL70) | 21.00 | 15.33 | |
| 190015995 | Bracket, each, short-l, galv. steel, neoprene inserts (RL70) | 21.00 | 15.33 | |
| 190080019 | Magnifier, Add-X 4d (Omnivue, SNE) | 101.00 | 73.73 | |
| 190080029 | Magnifier, Add-X 4d+12d (Omnivue, SNE) | 123.00 | 89.79 | |
| 191025019 | Clamp | 43.00 | 31.39 | |
| 19102506940 | Clamp (SNE/OMNI) | 33.00 | 24.09 | |
| 204090019 | Universal Base | 62.00 | 45.26 | |
| 209585028 | LED Driver, 120-277V, 24V DC, 17W | 79.00 | 57.67 | |
| 209585030 | LED Driver, 120V, 24V DC, 50W max. (MACH LED) | 104.00 | 75.92 | |
| 209585031 | LED Driver, 120-277V, 24V DC, 75W max. (MACH LED) | 125.00 | 91.25 | |
| 305169450 | Tube, RL70, Acrylic (26.37") | 62.00 | 45.26 | |
| 305169860 | Tube, RL70, Acrylic (40.87") | 85.00 | 62.05 | |
| 305169870 | Tube, RL70, Acrylic (63.58") | 124.00 | 90.52 | |
| 305226500 | Tube, RL70, Glass (50.94") | 162.00 | 118.26 | |
| 305412030 | Glass Lens, tempered, clear (HG series) | 37.00 | 27.01 | |
| 308218109 | Bracket, wall, for pin-mount | 46.00 | 33.58 | |
| 309015020 | Ballast, electronic, 1X18W, 24V DC (AWD) | 163.00 | 118.99 | |
| 309103010 | Ballast, 1x20W, 120V, 60Hz (RL70-120) | 11.00 | 8.03 | |
| 309201010 | Ballast, 1x18W, 120V, 60Hz (RL70C-118) | 27.00 | 19.71 | |
| 309269010 | Ballast, 1x18W, 120V, 50/60Hz (RL70C-118) | 89.00 | 64.97 | |
| 309355010 | Ballast, 1x54W, 120V, 50/60Hz (RL40-154) | 95.00 | 69.35 | |
| 309355020 | Ballast, 2x24/39W, 120V, 50/60Hz (RL70-224, -239) | 99.00 | 72.27 | |
| 309361010 | Ballast, 2x54W, 120V, 50/60Hz (RL70-254) | 100.00 | 73.00 | |
| 309361010 | Ballast, 2x54W, 120V, 50/60Hz (RL70-254) | 100.00 | 73.00 | |
| 309366010 | Ballast, 1x24/36/40W or 2x24/36/40W, 120-277V, 50/60Hz (RL70C-124, -136) | 82.00 | 59.86 | |
| 309367010 | Ballast, 1x18/24W or 2x18/24W, 120-277V, 50/60Hz (RL70C-118, -124) | 93.00 | 67.89 | |
| 309367030 | Ballast, 1x25/32/36/40W or 2x25/32/36/40W, 120-277V, 50/60Hz (RL70/RL40-125, -132), | 87.00 | 63.51 | |
| 309367050 | Ballast, 1x17W or 2x17W, 120-277V, 50/60Hz (RL70/RL40-117) | 87.00 | 63.51 | |
| 309368010 | Ballast, 1x17/25/32W, 120-277V, 50/60Hz (RL70/RL40-117, -125, -132) | 49.00 | 35.77 | |
| 309414040 | LED Driver, Plug In 120V-240V, 24V DC, 30W | 100.00 | 73.00 | |
| 309495010 | Ballast, Electronic, 1/2x18W, 120-277V, 50/60Hz (Omnivue) | 61.00 | 44.53 | |
| 320283030 | Lamp, halogen, QT-LP12, 12V, 75W, GY6.35 (HSW-75, HSWK-75) | 14.00 | 10.22 | |
| 336047100 | Plug-in Power Supply, 100-240V (TEVISIO) | 33.00 | 24.09 | |
| 450008010 | Lamp, fluorescent, F8T5, 8W, 4100K | 8.00 | 5.84 | |
| 450018182 | Lamp, fluorescent, CFL, 18W, 4100K (AWD) | 27.00 | 19.71 | |
| 450020010 | Lamp, fluorescent, F20T12, 20W, 4100K | 24.00 | 17.52 | |
| 450022010 | Lamp, fluorescent, FC8T9, 22W, 4100K, Circline (RLLE) | 21.00 | 15.33 | |
| 450055300 | Lamp, halogen, 12V, 55W, H3 (HG/HGW 12V models) | 18.00 | 13.14 | |
| 950900026 | LED Driver, 120-277V, 17W max. (HEAD LED) | 79.00 | 57.67 | |
| 950900038 | Lamp, fluorescent, PL-S 9W, 5000K (Omnivue) | 16.00 | 11.68 | |
| 950900039 | Lamp, fluorescent, PL-S 13W CFL, 5000K (WD, EBL, PAL) | 23.00 | 16.79 | |
| 950900043 | Lamp, CFL, 13W, GV23.UVA (PAL) | 34.00 | 24.82 | |
| 950900057 | Fuse, T0.5A, 12V, 55W (each) | 5.00 | 3.65 | |
| 950900084 | Cord, 18AWG/3, SJOOW, 90°, per foot (used w/ RL70 series with built-in ballast) | 4.00 | 2.92 | |

| | | | | |
|--------------------|---|----------|----------|----------|
| 950900094 | Cord, 18AWG/3, AWM STYLE 2587, PVC, 90°, 600V, UL/CSA, per foot | 5.00 | 3.65 | |
| 19102506940 | CLAMP, TABLE, BLACK | 33.00 | 24.09 | |
| 041803015-00080014 | RL70CE-118, 120V, glass (18.9") | 276.00 | 201.48 | 179.40 |
| 041803016-00006993 | RL70CE-118, 120V, acrylic (18.9") | 254.00 | 185.42 | 165.10 |
| 101442M00 | ALE-458, Pendant Inspection Luminaire, 4x58W | 1,928.00 | 1,407.44 | 1,253.20 |
| 108070000-00013766 | EBL-213, 120V | 376.00 | 274.48 | 244.40 |
| 108210000-0005526 | RL70C-118 S, acrylic (14.4") | 190.00 | 138.70 | 123.50 |
| 108210001-00055422 | RL70C-118 S, glass (14.4") | 212.00 | 154.76 | 137.80 |
| 108400001-00001908 | WD-213, 120V, w/34" reach | 542.00 | 395.66 | 352.30 |
| 108470000-0005527 | RL70C-124 S, acrylic (17.6") | 210.00 | 153.30 | 136.50 |
| 108470001-00055423 | RL70C-124 S, glass (17.6") | 228.00 | 166.44 | 148.20 |
| 108500000-00063134 | RL70CV-118, 120V, 60Hz, acrylic (17.6") | 253.00 | 184.69 | 164.45 |
| 108500001-00054029 | RL70CV-118, 120V, 60Hz, glass (17.6") | 275.00 | 200.75 | 178.75 |
| 108500M00 | RL70CV-118, 120V, 60Hz, acrylic, w/cordset & brackets (17.6") | 302.00 | 220.46 | 196.30 |
| 108500M01 | RL70CV-118, 120V, 60Hz, glass, w/cordset & brackets (17.6") | 325.00 | 237.25 | 211.25 |
| 108510000-00087167 | RL70CV-124, 120V, acrylic (23.6") | 281.00 | 205.13 | 182.65 |
| 108510001-00055610 | RL70CV-124, 120V, glass (23.6") | 310.00 | 226.30 | 201.50 |
| 108620000-00013816 | RL70C-136 S, acrylic (20.7") | 231.00 | 168.63 | 150.15 |
| 108620001-00013818 | RL70C-136 S, glass (20.7") | 262.00 | 191.26 | 170.30 |
| 108670000-00081448 | RL70CE-124, 120-277V, 50/60Hz, acrylic (26.7") | 284.00 | 207.32 | 184.60 |
| 108670001-00081450 | RL70CE-124, 120-277V, 50/60Hz, glass (26.7") | 301.00 | 219.73 | 195.65 |
| 108670M00 | RL70CE-124, 120-277V, 50/60Hz, acrylic, with cordset & brackets (26.7") | 363.00 | 264.99 | 235.95 |
| 108670M01 | RL70CE-124, 120-277V, 50/60Hz, glass, with cordset & brackets (26.7") | 397.00 | 289.81 | 258.05 |
| 108680000-00081455 | RL70CE-136, 120-277V, 50/60Hz, acrylic (31") | 295.00 | 215.35 | 191.75 |
| 108680001-00081457 | RL70CE-136, 120-277V, 50/60Hz, glass (31") | 323.00 | 235.79 | 209.95 |
| 108680M00 | RL70CE-136, 120-277V, 50/60Hz, acrylic, w/cordset & brackets (31") | 339.00 | 247.47 | 220.35 |
| 108680M01 | RL70CE-136, 120-277V, 50/60Hz, glass, w/cordset & brackets (31") | 374.00 | 273.02 | 243.10 |
| 108690000-00048570 | HG-55, articulating arm, 55W, 120V (transformer built into arm) | 411.00 | 300.03 | 267.15 |
| 111410000-00057156 | RL70CE-124, 24V AC, acrylic (25.2") | 414.00 | 302.22 | 269.10 |
| 111410001-00057158 | RL70CE-124, 24V AC, glass (25.2") | 444.00 | 324.12 | 288.60 |
| 111420000-00057161 | RL70CE-136, 24V AC, acrylic (29.4") | 434.00 | 316.82 | 282.10 |
| 111420001-00057164 | RL70CE-136, 24V AC, glass (29.4") | 465.00 | 339.45 | 302.25 |
| 111440000-00057173 | RL70CE-124, 24V DC, acrylic (25.2") | 414.00 | 302.22 | 269.10 |
| 111440001-00057175 | RL70CE-124, 24V DC, glass (25.2") | 444.00 | 324.12 | 288.60 |
| 111450000-00064046 | RL70CE-136, 24V DC, acrylic (29.4") | 434.00 | 316.82 | 282.10 |
| 111450001-00057177 | RL70CE-136, 24V DC, glass (29.4") | 465.00 | 339.45 | 302.25 |
| 111650000-00063029 | RL70E-118, 24V AC, acrylic, w/C endcaps (36.2") | 393.00 | 286.89 | 255.45 |
| 111650001-00063030 | RL70E-118, 24V AC, glass, w/C endcaps (36.2") | 415.00 | 302.95 | 269.75 |
| 111690000-00063406 | RL70E-118, 24V DC, acrylic, w/C endcaps (36.2") | 393.00 | 286.89 | 255.45 |
| 111690001-00063408 | RL70E-118, 24V DC, glass, w/C endcaps (36.2") | 415.00 | 302.95 | 269.75 |
| 111720000-00059978 | RL70E-136, 24V AC, acrylic, w/C endcaps (60.3") | 437.00 | 319.01 | 284.05 |
| 111720001-00059980 | RL70E-136, 24V AC, glass, w/C endcaps (60.3") | 469.00 | 342.37 | 304.85 |
| 111730000-00059987 | RL70E-136, 24V DC, acrylic, w/C endcaps (60.3") | 437.00 | 319.01 | 284.05 |
| 111730001-00059991 | RL70E-136, 24V DC, glass, w/C endcaps (60.3") | 469.00 | 342.37 | 304.85 |
| 112043000-00078210 | HSW-20, articulating arm, 12V, w/ switch | 406.00 | 296.38 | 263.90 |
| 112043010-00078214 | HSW-20, articulating arm, 24V, w/switch | 409.00 | 298.57 | 265.85 |
| 112049000-00078883 | HSWT-20, gooseneck, 12V, w/switch | 392.00 | 286.16 | 254.80 |
| 112049010-00078885 | HSWT-20, gooseneck, 24V, w/switch | 392.00 | 286.16 | 254.80 |
| 112049012-00078884 | HSWT-20, gooseneck, 120V (must purchase plug-in transformer separately) | 348.00 | 254.04 | 226.20 |
| 112060002-00012747 | SAMCE-224, 120-240V, 2x24W, 27.8" | 402.00 | 293.46 | 261.30 |
| 112081000-00078197 | HSWK-20, pivoting head, 12V, w/o switch | 263.00 | 191.99 | 170.95 |
| 112081010-00078198 | HSWK-20, pivoting head, 24V, w/o switch | 263.00 | 191.99 | 170.95 |
| 112153001-00083632 | AWDCE-118, glass, w/out louver | 309.00 | 225.57 | 200.85 |
| 112153011-00083633 | AWDCE-118, glass, w/louver | 339.00 | 247.47 | 220.35 |
| 112185000-00005180 | HSW-75, articulating arm, 12V, w/switch | 425.00 | 310.25 | 276.25 |
| 112185010-00005246 | HSW-75, articulating arm, 24V, w/switch | 425.00 | 310.25 | 276.25 |
| 112187003-00005185 | HSWK-75, pivoting head, 12V, w/o switch | 350.00 | 255.50 | 227.50 |
| 112187010-00005235 | HSWK-75, pivoting head, 24V, w/switch | 353.00 | 257.69 | 229.45 |
| 112187013-00005236 | HSWK-75, pivoting head, 24V, w/o switch | 350.00 | 255.50 | 227.50 |
| 112226M20 | STE-155T, 120V, 5400K, w/36" reach task light, w/clamp, arm on right | 792.00 | 578.16 | 514.80 |
| 112353002-00058709 | ABL11, pivoting head, 6° spot, w/threadmount | 192.00 | 140.16 | 124.80 |
| 112353003-00058711 | ABL11, pivoting head, 25° flood, w/threadmount | 192.00 | 140.16 | 124.80 |
| 112369000-00084194 | RL70CE-118, 24V AC, acrylic (20.6") | 394.00 | 287.62 | 256.10 |
| 112369001-00084204 | RL70CE-118, 24V AC, glass (20.6") | 416.00 | 303.68 | 270.40 |
| 112370000-00084157 | RL70CE-118, 24V DC, acrylic (20.6") | 394.00 | 287.62 | 256.10 |
| 112370001-00084161 | RL70CE-118, 24V DC, glass (20.6") | 416.00 | 303.68 | 270.40 |
| 112373000-00059075 | ABLTL1, gooseneck, w/detach head, 6° spot, w/threadmount | 301.00 | 219.73 | 195.65 |
| 112373010-00059261 | ABLTL1, gooseneck, w/detach head, 25° flood, w/threadmount | 301.00 | 219.73 | 195.65 |
| 112373M10 | ABLTL1, gooseneck, w/detach head, 6° spot, 95-240V (All in One) | 422.00 | 308.06 | 274.30 |
| 112373M11 | ABLTL1, gooseneck, w/detach head, 25° flood, 95-240V (All in One) | 422.00 | 308.06 | 274.30 |
| 112373M20 | ABLTL1, gooseneck, w/detach head, 6° spot, 19.2-28.8V (All in One) | 389.00 | 283.97 | 252.85 |
| 112373M21 | ABLTL1, gooseneck, w/detach head, 25° flood, 19.2-28.8V (All in One) | 389.00 | 283.97 | 252.85 |
| 112385000-00066483 | ABLTL1, gooseneck, fixed head, 6° spot, w/threadmount | 224.00 | 163.52 | 145.60 |
| 112385001-00066539 | ABLTL1, gooseneck, fixed head, 25° flood, w/threadmount | 224.00 | 163.52 | 145.60 |
| 112385M10 | ABLTL1, gooseneck, fixed head, 6° spot, 95-240V (All in One) | 365.00 | 266.45 | 237.25 |
| 112385M11 | ABLTL1, gooseneck, fixed head, 25° flood, 95-240V (All in One) | 365.00 | 266.45 | 237.25 |
| 112385M20 | ABLTL1, gooseneck, fixed head, 6° spot, 19.2-28.8V (All in One) | 339.00 | 247.47 | 220.35 |
| 112385M21 | ABLTL1, gooseneck, fixed head, 25° flood, 19.2-28.8V (All in One) | 339.00 | 247.47 | 220.35 |
| 112414085-00071639 | HITF-20 S, gooseneck, 12V, 23" w/out transformer | 231.00 | 168.63 | 150.15 |
| 112415081-00071609 | HITF-20 N, gooseneck, 120V, 23" w/plug-in transformer | 276.00 | 201.48 | 179.40 |
| 112416065-00071670 | HIBF-20 S, articulating arm, 12V, w/out transformer | 260.00 | 189.80 | 169.00 |
| 112417061-00071685 | HIBF-20 N, articulating arm, 120V, w/plug-in transformer | 304.00 | 221.92 | 197.60 |
| 112418065-00071648 | HIXF-20 S, pivoting head, 12V, w/out transformer | 177.00 | 129.21 | 115.05 |
| 112419061-00071644 | HIXF-20 N, pivoting head, 120V, w/plug-in transformer | 222.00 | 162.06 | 144.30 |
| 112423000-00071550 | ABLTL1, gooseneck, fixed head, 6° spot, w/16mm pin | 237.00 | 173.01 | 154.05 |
| 112423001-00071549 | ABLTL1, gooseneck, fixed head, 25° flood, w/16mm pin | 237.00 | 173.01 | 154.05 |

| | | | | |
|--------------------|--|--------|--------|--------|
| 112459001-00091693 | SPOT LED, MCXFL 3 S, pivoting head w/out transformer, 10°, 24V AC/DC, w/switch | 438.00 | 319.74 | 284.70 |
| 112459003-00091694 | SPOT LED, MCXFL 3 S, pivoting head w/out transformer, 40°, 24V AC/DC, w/switch | 438.00 | 319.74 | 284.70 |
| 112459004-00082950 | SPOT LED, MCXFL 3 S, pivoting head w/out transformer, 10°, 24V AC/DC, w/out switch | 415.00 | 302.95 | 269.75 |
| 112459007-00091850 | SPOT LED, MCXFL 3 N, pivoting head w/transformer, 10°, 100-240V, 50/60Hz | 535.00 | 390.55 | 347.75 |
| 112459009-00091852 | SPOT LED, MCXFL 3 N, pivoting head w/transformer, 40°, 100-240V, 50/60Hz | 535.00 | 390.55 | 347.75 |
| 112460001-00082995 | SPOT LED, MCEYL 3 S, flush mount, w/out transformer, 10°, 24V AC/DC | 297.00 | 216.81 | 193.05 |
| 112460003-00087891 | SPOT LED, MCEYL 3 S, flush mount, w/out transformer, 40°, 24V AC/DC | 297.00 | 216.81 | 193.05 |
| 112461001-00083005 | SPOT LED, MCEYL 3 S, surface mount, w/o transformer, 10°, 24V AC/DC | 297.00 | 216.81 | 193.05 |
| 112461003-00087871 | SPOT LED, MCEYL 3 S, surface mount, w/o transformer, 40°, 24V AC/DC | 297.00 | 216.81 | 193.05 |
| 112462001-00091851 | SPOT LED, MCTFL 3 S, gooseneck arm, w/out transformer, 10°, 24V AC/DC | 496.00 | 362.08 | 322.40 |
| 112462007-00091926 | SPOT LED, MCTFL 3 N, gooseneck arm, w/transformer, 10°, 100-240V, 50/60Hz | 557.00 | 406.61 | 362.05 |
| 112463001-00091660 | SPOT LED, MCBFL 3 S, articulating arm w/out transformer, 10°, 24V AC/DC | 534.00 | 389.82 | 347.10 |
| 112463007-00091662 | SPOT LED, MCBFL 3 N, articulating arm w/transformer, 10°, 100-240V, 50/60Hz | 591.00 | 431.43 | 384.15 |
| 112504000-00097935 | SAMCE-136A, ESD, 120-277V, 1x36W CFL, 19.4" | 328.00 | 239.44 | 213.20 |
| 112544000-00001328 | SLIM LED, LIQ 6, 3.6W, 23-25V DC, 7.7", adjustable, clear | 126.00 | 91.98 | 81.90 |
| 112544001-00011081 | SLIM LED, LIQ 12, 7.2W, 23-25V DC, 13.2", adjustable, clear | 180.00 | 131.40 | 117.00 |
| 112544002-00011082 | SLIM LED, LIQ 24, 14.4W, 23-25V DC, 24.3", adjustable, clear | 293.00 | 213.89 | 190.45 |
| 112544003-00011083 | SLIM LED, LIQ 36, 21.6W, 23-25V DC, 35.3", adjustable, clear | 399.00 | 291.27 | 259.35 |
| 112544004-00011084 | SLIM LED, LIQ 48, 28.8W, 23-25V DC, 46.3", adjustable, clear | 508.00 | 370.84 | 330.20 |
| 112544005-00011100 | SLIM LED, LIQ 6, 3.6W, 23-25V DC, 7.7", adjustable, satine | 126.00 | 91.98 | 81.90 |
| 112544006-00011088 | SLIM LED, LIQ 12, 7.2W, 23-25V DC, 13.2", adjustable, satine | 180.00 | 131.40 | 117.00 |
| 112544007-00011085 | SLIM LED, LIQ 24, 14.4W, 23-25V DC, 24.3", adjustable, satine | 293.00 | 213.89 | 190.45 |
| 112544008-00011086 | SLIM LED, LIQ 36, 21.6W, 23-25V DC, 35.3", adjustable, satine | 399.00 | 291.27 | 259.35 |
| 112544009-00011087 | SLIM LED, LIQ 48, 28.8W, 23-25V DC, 46.3", adjustable, satine | 508.00 | 370.84 | 330.20 |
| 112544010-00011101 | SLIM LED, LIQ 6, 3.6W, 23-25V DC, 7.7", adjustable, no lens | 124.00 | 90.52 | 80.60 |
| 112544011-00011102 | SLIM LED, LIQ 12, 7.2W, 23-25V DC, 13.2", adjustable, no lens | 178.00 | 129.94 | 115.70 |
| 112544012-00011103 | SLIM LED, LIQ 24, 14.4W, 23-25V DC, 24.3", adjustable, no lens | 287.00 | 209.51 | 186.55 |
| 112544013-00011104 | SLIM LED, LIQ 36, 21.6W, 23-25V DC, 35.3", adjustable, no lens | 393.00 | 286.89 | 255.45 |
| 112544014-00011105 | SLIM LED, LIQ 48, 28.8W, 23-25V DC, 46.3", adjustable, no lens | 502.00 | 366.46 | 326.30 |
| 112545000-00001351 | SLIM LED, LIQ 6, 3.6W, 23-25V DC, 7.7", fixed, clear | 115.00 | 83.95 | 74.75 |
| 112545001-00011125 | SLIM LED, LIQ 12, 7.2W, 23-25V DC, 13.2", fixed, clear | 166.00 | 121.18 | 107.90 |
| 112545002-00011130 | SLIM LED, LIQ 24, 14.4W, 23-25V DC, 24.3", fixed, clear | 271.00 | 197.83 | 176.15 |
| 112545003-00011133 | SLIM LED, LIQ 36, 21.6W, 23-25V DC, 35.3", fixed, clear | 374.00 | 273.02 | 243.10 |
| 112545004-00011136 | SLIM LED, LIQ 48, 28.8W, 23-25V DC, 46.3", fixed, clear | 480.00 | 350.40 | 312.00 |
| 112545005-00011120 | SLIM LED, LIQ 6, 3.6W, 23-25V DC, 7.7", fixed, satine | 115.00 | 83.95 | 74.75 |
| 112545006-00011128 | SLIM LED, LIQ 12, 7.2W, 23-25V DC, 13.2", fixed, satine | 166.00 | 121.18 | 107.90 |
| 112545007-00011131 | SLIM LED, LIQ 24, 14.4W, 23-25V DC, 24.3", fixed, satine | 271.00 | 197.83 | 176.15 |
| 112545008-00011134 | SLIM LED, LIQ 36, 21.6W, 23-25V DC, 35.3", fixed, satine | 374.00 | 273.02 | 243.10 |
| 112545009-00011137 | SLIM LED, LIQ 48, 28.8W, 23-25V DC, 46.3", fixed, satine | 480.00 | 350.40 | 312.00 |
| 112545010-00011121 | SLIM LED, LIQ 6, 3.6W, 23-25V DC, 7.7", fixed, no lens | 113.00 | 82.49 | 73.45 |
| 112545011-00011129 | SLIM LED, LIQ 12, 7.2W, 23-25V DC, 13.2", fixed, no lens | 164.00 | 119.72 | 106.60 |
| 112545012-00011132 | SLIM LED, LIQ 24, 14.4W, 23-25V DC, 24.3", fixed, no lens | 267.00 | 194.91 | 173.55 |
| 112545013-00011135 | SLIM LED, LIQ 36, 21.6W, 23-25V DC, 35.3", fixed, no lens | 369.00 | 269.37 | 239.85 |
| 112545014-00011138 | SLIM LED, LIQ 48, 28.8W, 23-25V DC, 46.3", fixed, no lens | 475.00 | 346.75 | 308.75 |
| 112554000-00003165 | HEAD LED, MCAYL 4 S, 100° wide flood, 1x11W | 212.00 | 154.76 | 137.80 |
| 112554001-00005758 | HEAD LED, MCAYL 4 S, 70° narrow flood, 1x11W | 214.00 | 156.22 | 139.10 |
| 112560000-00003069 | FLAT LED, MYAL 6 S 10-40V DC - surface mount | 417.00 | 304.41 | 271.05 |
| 112560001-00003166 | FLAT LED, MYEL 6 S 10-40V DC - flush mount | 439.00 | 320.47 | 285.35 |
| 112560002-00006272 | FLAT LED, MYAL 6 S 10-30V AC - surface mount | 417.00 | 304.41 | 271.05 |
| 112560003-00006273 | FLAT LED, MYEL 6 S 10-30V AC - flush mount | 439.00 | 320.47 | 285.35 |
| 112567000-00548248 | MACH LED, MTAL 1 S, 24V DC, 30° beam angle, B end caps | 245.00 | 178.85 | 159.25 |
| 112567000-00548251 | MACH LED, MTAL 2 S, 24V DC, 30° beam angle, B end caps | 372.00 | 271.56 | 241.80 |
| 112567000-00548254 | MACH LED, MTAL 3 S, 24V DC, 30° beam angle, B end caps | 510.00 | 372.30 | 331.50 |
| 112567000-00548257 | MACH LED, MTAL 4 S, 24V DC, 30° beam angle, B end caps | 646.00 | 471.58 | 419.90 |
| 112567041-00488606 | MACH LED, MTAL 1 S, 24V DC, 30° beam angle, A end caps | 245.00 | 178.85 | 159.25 |
| 112567044-00463693 | MACH LED, MTAL 1 S, 24V DC, 50° beam angle, A end caps | 232.00 | 169.36 | 150.80 |
| 112567045-00521832 | MACH LED, MTAL 1 S, 24V DC, 50° beam angle, B end caps | 232.00 | 169.36 | 150.80 |
| 112567054-00463698 | MACH LED, MTAL 2 S, 24V DC, 50° beam angle, A end caps | 348.00 | 254.04 | 226.20 |
| 112567055-00476003 | MACH LED, MTAL 2 S, 24V DC, 30° beam angle, A end caps | 372.00 | 271.56 | 241.80 |
| 112567056-00520931 | MACH LED, MTAL 2 S, 24V DC, 50° beam angle, B end caps | 348.00 | 254.04 | 226.20 |
| 112567064-00463701 | MACH LED, MTAL 3 S, 24V DC, 50° beam angle, A end caps | 470.00 | 343.10 | 305.50 |
| 112567065-00505196 | MACH LED, MTAL 3 S, 24V DC, 30° beam angle, A end caps | 510.00 | 372.30 | 331.50 |
| 112567066-00520942 | MACH LED, MTAL 3 S, 24V DC, 50° beam angle, B end caps | 470.00 | 343.10 | 305.50 |
| 112567074-00464416 | MACH LED, MTAL 4 S, 24V DC, 50° beam angle, A end caps | 592.00 | 432.16 | 384.80 |
| 112567075-00478381 | MACH LED, MTAL 4 S, 24V DC, 30° beam angle, A end caps | 646.00 | 471.58 | 419.90 |
| 112567076-00463706 | MACH LED, MTAL 4 S, 24V DC, 50° beam angle, B end caps | 592.00 | 432.16 | 384.80 |
| 112571000-00084579 | MACH LED PRO, MUEL 1 S, 24V DC, 30° beam angle, recessed, 8.7' | 279.00 | 203.67 | 181.35 |
| 112571001-00085127 | MACH LED PRO, MUEL 1 S, 24V AC, 30° beam angle, recessed, 8.7' | 289.00 | 210.97 | 187.85 |
| 112571002-00085216 | MACH LED PRO, MUEL 1 S, 24V DC, 120° beam angle, recessed, 8.7' | 267.00 | 194.91 | 173.55 |
| 112571003-00085194 | MACH LED PRO, MUEL 1 S, 24V AC, 120° beam angle, recessed, 8.7' | 274.00 | 200.02 | 178.10 |
| 112571004-00085220 | MACH LED PRO, MUEL 2 S, 24V DC, 30° beam angle, recessed, 15.6' | 418.00 | 305.14 | 271.70 |
| 112571005-00085225 | MACH LED PRO, MUEL 2 S, 24V AC, 30° beam angle, recessed, 15.6' | 435.00 | 317.55 | 282.75 |
| 112571006-00085224 | MACH LED PRO, MUEL 2 S, 24V DC, 120° beam angle, recessed, 15.6' | 389.00 | 283.97 | 252.85 |
| 112571007-00085226 | MACH LED PRO, MUEL 2 S, 24V AC, 120° beam angle, recessed, 15.6' | 406.00 | 296.38 | 263.90 |
| 112571010-00085227 | MACH LED PRO, MUEL 3 S, 24V DC, 30° beam angle, recessed, 22.4' | 567.00 | 413.91 | 368.55 |
| 112571011-00085256 | MACH LED PRO, MUEL 3 S, 24V AC, 30° beam angle, recessed, 22.4' | 584.00 | 426.32 | 379.60 |
| 112571012-00085228 | MACH LED PRO, MUEL 3 S, 24V DC, 120° beam angle, recessed, 22.4' | 519.00 | 378.87 | 337.35 |
| 112571013-00085257 | MACH LED PRO, MUEL 3 S, 24V AC, 120° beam angle, recessed, 22.4' | 541.00 | 394.93 | 351.65 |
| 112571014-00085275 | MACH LED PRO, MUEL 4 S, 24V DC, 30° beam angle, recessed, 29.3' | 702.00 | 512.46 | 456.30 |
| 112571015-00085278 | MACH LED PRO, MUEL 4 S, 24V AC, 30° beam angle, recessed, 29.3' | 733.00 | 535.09 | 476.45 |
| 112571016-00085276 | MACH LED PRO, MUEL 4 S, 24V DC, 120° beam angle, recessed, 29.3' | 644.00 | 470.12 | 418.60 |
| 112571017-00085311 | MACH LED PRO, MUEL 4 S, 24V AC, 120° beam angle, recessed, 29.3' | 676.00 | 493.48 | 439.40 |
| 112571020-00079042 | MACH LED PRO, MUAL 1 S, 24V DC, 30° beam angle, surface mount, 8.7' | 279.00 | 203.67 | 181.35 |
| 112571021-00082249 | MACH LED PRO, MUAL 1 S, 24V AC, 30° beam angle, surface mount, 8.7' | 289.00 | 210.97 | 187.85 |
| 112571022-00082186 | MACH LED PRO, MUAL 1 S, 24V DC, 120° beam angle, surface mount, 8.7' | 267.00 | 194.91 | 173.55 |
| 112571023-00082250 | MACH LED PRO, MUAL 1 S, 24V AC, 120° beam angle, surface mount, 8.7' | 274.00 | 200.02 | 178.10 |

| | | | | |
|--------------------|---|----------|--------|--------|
| 112571024-00082456 | MACH LED PRO, MUAL 2 S, 24V DC, 30° beam angle, surface mount, 15.6' | 418.00 | 305.14 | 271.70 |
| 112571025-00082632 | MACH LED PRO, MUAL 2 S, 24V AC, 30° beam angle, surface mount, 15.6' | 435.00 | 317.55 | 282.75 |
| 112571026-00082511 | MACH LED PRO, MUAL 2 S, 24V DC, 120° beam angle, surface mount, 15.6" | 389.00 | 283.97 | 252.85 |
| 112571027-00082635 | MACH LED PRO, MUAL 2 S, 24V AC, 120° beam angle, surface mount, 15.6' | 406.00 | 296.38 | 263.90 |
| 112571030-00082788 | MACH LED PRO, MUAL 3 S, 24V DC, 30° beam angle, surface mount, 22.4" | 562.00 | 410.26 | 365.30 |
| 112571031-00082840 | MACH LED PRO, MUAL 3 S, 24V AC, 30° beam angle, surface mount, 22.4" | 584.00 | 426.32 | 379.60 |
| 112571032-00082820 | MACH LED PRO, MUAL 3 S, 24V DC, 120° beam angle, surface mount, 22.4' | 519.00 | 378.87 | 337.35 |
| 112571033-00082842 | MACH LED PRO, MUAL 3 S, 24V AC, 120° beam angle, surface mount, 22.4" | 541.00 | 394.93 | 351.65 |
| 112571034-00082844 | MACH LED PRO, MUAL 4 S, 24V DC, 30° beam angle, surface mount, 29.3' | 702.00 | 512.46 | 456.30 |
| 112571035-00082863 | MACH LED PRO, MUAL 4 S, 24V AC, 30° beam angle, surface mount, 29.3' | 733.00 | 535.09 | 476.45 |
| 112571036-00082846 | MACH LED PRO, MUAL 4 S, 24V DC, 120° beam angle, surface mount, 29.3' | 644.00 | 470.12 | 418.60 |
| 112571037-00082866 | MACH LED PRO, MUAL 4 S, 24V AC, 120° beam angle, surface mount, 29.3" | 676.00 | 493.48 | 439.40 |
| 112573000-00499489 | LUMATRIS, MSAL 90 S, 24V DC, 36W, 16.54" x 6.69", rear connection, Light Forming Techn | 753.00 | 549.69 | 489.45 |
| 112573001-00514271 | LUMATRIS, MSAL 90 S, 24V DC, 36W, 16.54" x 6.69", side connection, Light Forming Techn | 753.00 | 549.69 | 489.45 |
| 112573002-00514274 | LUMATRIS, MSAL 90 S, 24V DC, 36W, 16.54" x 6.69", side connection | 686.00 | 500.78 | 445.90 |
| 112573003-00514277 | LUMATRIS, MSAL 90 S, 24V DC, 36W, 16.54" x 6.69", rear connection | 686.00 | 500.78 | 445.90 |
| 112574000-00499493 | LUMATRIS, MSAL 180 S, 24V DC, 72W, 30.31" x 6.69", rear connection, Light Forming Techn | 1,110.00 | 810.30 | 721.50 |
| 112574001-00511140 | LUMATRIS, MSAL 180 S, 24V DC, 72W, 30.31" x 6.69", side connection, Light Forming Techn | 1,110.00 | 810.30 | 721.50 |
| 112574002-00511144 | LUMATRIS, MSAL 180 S, 24V DC, 72W, 30.31" x 6.69", side connection | 1,009.00 | 736.57 | 655.85 |
| 112574003-00511147 | LUMATRIS, MSAL 180 S, 24V DC, 72W, 30.31" x 6.69", rear connector | 1,009.00 | 736.57 | 655.85 |
| 112576000-00562045 | TANEO, STZL 12 R, art. arm, 100-240V,15W, 8.6", 5000K, clear lens | 611.00 | 446.03 | 397.15 |
| 112576000-00562055 | TANEO, STZL 12 R, art. arm., 100-240V,15W, 8.6", 4000K, clear lens | 611.00 | 446.03 | 397.15 |
| 112576000-00562095 | TANEO, STZL 12 R, art. arm, 100-240V,15W, 8.6", 4000K, matte lens | 611.00 | 446.03 | 397.15 |
| 112576000-00562104 | TANEO, STZL 12 R, art. arm, 100-240V,15W, 8.6", 5000K, matte lens | 611.00 | 446.03 | 397.15 |
| 112577000-00562130 | TANEO, STZL 24 R, art. arm, 100-240V, 31W, 15.7", 4000K, clear lens | 715.00 | 521.95 | 464.75 |
| 112577000-00562141 | TANEO, STZL 24 R, art. arm, 100-240V, 31W, 15.7", 5000K, matte lens | 715.00 | 521.95 | 464.75 |
| 112577000-00562157 | TANEO, STZL 24 R, art. arm, 100-240V, 31W, 15.7", 5000K, clear lens | 715.00 | 521.95 | 464.75 |
| 112577000-00562177 | TANEO, STZL 24 R, art. arm, 100-240V, 31W, 15.7", 4000K, matte lens | 715.00 | 521.95 | 464.75 |
| 112578000-00562192 | TANEO, STZL 36 R, art. arm, 100-240V, 47W, 22.7", 4000K, clear lens | 819.00 | 597.87 | 532.35 |
| 112578000-00562207 | TANEO, STZL 36 R, art. arm, 100-240V, 47W, 22.7", 5000K, clear lens | 819.00 | 597.87 | 532.35 |
| 112578000-00562219 | TANEO, STZL 36 R, art. arm, 100-240V, 47W, 22.7", 4000K, matte lens | 819.00 | 597.87 | 532.35 |
| 112578000-00562228 | TANEO, STZL 36 R, art. arm,100-240V, 47W, 22.7", 5000K, matte lens | 819.00 | 597.87 | 532.35 |
| 112885000-00024959 | RING LED, RLLQ6, 6W, 100-240V, 50/60Hz, 5.3 diopter, w/universal base | 509.00 | 371.57 | 330.85 |
| 112885M10 | RING LED, RLLQ6, 6W, 100-240V, 50/60Hz, 5.3 diopter, w/clamp | 518.00 | 378.14 | 336.70 |
| 112887024-00076049 | ONE LED, MVAL 1S, 19.2-28.8V DC, 6W, acrylic, IP54 | 220.00 | 160.60 | 143.00 |
| 112887027-00076050 | ONE LED, MVAL 1S, 19.2-28.8V DC, 6W, w/mounting bracket, acrylic, IP54 | 235.00 | 171.55 | 152.75 |
| 112887034-00076059 | ONE LED, MVAL 1S, 19.2-28.8V DC, 6W, glass, IP67 | 232.00 | 169.36 | 150.80 |
| 112887037-00076065 | ONE LED, MVAL 1S, 19.2-28.8V DC, 6W, w/mounting bracket, glass, IP67 | 243.00 | 177.39 | 157.95 |
| 112913010-00488729 | RL70CE-124 H, 100-280V, 50/60Hz, acrylic w/louwer (19.5") | 308.00 | 224.84 | 200.20 |
| 112913011-00488735 | RL70CE-124 H, 100-280V, 50/60Hz, glass w/louwer (19.5") | 330.00 | 240.90 | 214.50 |
| 112918000-00587322 | TEVISIOMAX, LED, 39" reach, 3.5D, w/dimming | 782.00 | 570.86 | 508.30 |
| 112918000-00587326 | TEVISIOMAX, LED, 39" reach, 3.5D + 8D, w/dimming | 789.00 | 575.97 | 512.85 |
| 112918000-00587329 | TEVISIOMAX LED, 39" reach, 3.5D, w/dimming, w/segment switching | 812.00 | 592.76 | 527.80 |
| 112918000-00587332 | TEVISIOMAX, LED, 39" reach, 3.5D + 8D, w/dimming, w/segment switching | 812.00 | 592.76 | 527.80 |
| 112919000-00587335 | TEVISIO, LED, 31" reach, 3.5D, w/dimming | 759.00 | 554.07 | 493.35 |
| 112919000-00587338 | TEVISIO, LED, 31" reach, 3.5D + 8D, w/dimming | 766.00 | 559.18 | 497.90 |
| 112919000-00587341 | TEVISIO, LED, 31" reach, 3.5D, w/dimming, w/segment switching | 782.00 | 570.86 | 508.30 |
| 112919000-00587344 | TEVISIO, LED, 31" reach, 3.5D + 8D, w/dimming, w/segment switching | 789.00 | 575.97 | 512.85 |
| 112929000-00501570 | MINELA SOL, LED, 120V, silver, 4000K | 450.00 | 328.50 | 292.50 |
| 112973000-00556029 | TAMETO, SAH 139, 1x39W T5 LFL, 37.6" length, 100-240V | 397.00 | 289.81 | 258.05 |
| 112975000-00556119 | TAMETO, SAHQ 66, 1x33W LED, 37.6" length, 100-240V | 592.00 | 432.16 | 384.80 |
| 112977000-00556183 | TAMETO, SAH 154, 1x54W T5 LFL, 49.5" length, 100-240V | 423.00 | 308.79 | 274.95 |
| 112979000-00556677 | TAMETO, SAHQ 88 1x43W LED, 49.5" length, 100-240V | 689.00 | 502.97 | 447.85 |
| 112991000-00562401 | TANEO, SARKL 12 R, 15W, Swivel,100-240V, 4000K, clear lens | 368.00 | 268.64 | 239.20 |
| 112991000-00562464 | TANEO, SARKL 12 R, 15W, Swivel,100-240V, 5000K, clear lens | 368.00 | 268.64 | 239.20 |
| 112991000-00562476 | TANEO, SARKL 12 R, 15W, Swivel,100-240V, 4000K, matte lens | 368.00 | 268.64 | 239.20 |
| 112991000-00562486 | TANEO, SARKL 12 R, 15W, Swivel,100-240V, 5000K, matte lens | 368.00 | 268.64 | 239.20 |
| 112992000-00562495 | TANEO, SARL 24 R, 31W, Tilting, 100-240V, 4000K, clear lens | 432.00 | 315.36 | 280.80 |
| 112992000-00562510 | TANEO, SARL 24 R, 31W, Tilting, 100-240V, 5000K, clear lens | 432.00 | 315.36 | 280.80 |
| 112992000-00562522 | TANEO, SARL 24 R, 31W, Tilting, 100-240V, 4000K, matte lens | 432.00 | 315.36 | 280.80 |
| 112992000-00562543 | TANEO, SARL 24 R, 31W, Tilting, 100-240V, 5000K, matte lens | 432.00 | 315.36 | 280.80 |
| 112993000-00562556 | TANEO, SARL 36 R, 47W, Tilting, 100-240V, 4000K, clear lens | 527.00 | 384.71 | 342.55 |
| 112993000-00562567 | TANEO, SARL 36 R, 47W, Tilting, 100-240V, 5000K, clear lens | 527.00 | 384.71 | 342.55 |
| 112993000-00562589 | TANEO, SARL 36 R, 47W, Tilting, 100-240V, 4000K, matte lens | 527.00 | 384.71 | 342.55 |
| 112993000-00562598 | TANEO, SARL 36 R, 47W, Tilting, 100-240V, 5000K, matte lens | 527.00 | 384.71 | 342.55 |
| 113015000-00595377 | TEVISIOMAX ESD, LED, 39" reach, w/ESD clamp | 995.00 | 726.35 | 646.75 |
| 113016000-00595384 | TEVISIO ESD, LED, 31" reach, w/ESD clamp | 977.00 | 713.21 | 635.05 |
| 113045000-00580702 | MACH LED PLUS, MQAL 12 S, 24V DC ECO, 14.5" | 328.00 | 239.44 | |
| 113047000-00580693 | MACH LED PLUS, MQAL 24 S, 24V DC, 14.5" | 362.00 | 264.26 | |
| 113049000-00580576 | MACH LED PLUS, MQAL12 N,120-230V AC, ECO, 14.5" | 396.00 | 289.08 | |
| 113051000-00580582 | MACH LED PLUS, MQAL 24 N, 120-230V AC, 14.5" | 431.00 | 314.63 | |
| 113053000-00580588 | MACH LED PLUS, MQAL 18 S, 24V DC ECO, 20.1" | 390.00 | 284.70 | |
| 113055000-00580594 | MACH LED PLUS, MQAL 36 S, 24V DC, 20.1" | 423.00 | 308.79 | |
| 113057000-00580600 | MACH LED PLUS, MQAL 18 N, 120-230V AC, ECO, 20.1" | 458.00 | 334.34 | |
| 113059000-00580606 | MACH LED PLUS, MQAL 36 N, 120-230V AC, 20.1" | 491.00 | 358.43 | |
| 113061000-00580612 | MACH LED PLUS, MQAL 18 S, 24V DC ECO, 22.2" | 410.00 | 299.30 | |
| 113063000-00580618 | MACH LED PLUS, MQAL 36 S, 24V DC, 22.2" | 444.00 | 324.12 | |
| 113065000-00580624 | MACH LED PLUS, MQAL 18 N, 120-230V AC, ECO, 22.2" | 478.00 | 348.94 | |
| 113067000-00580633 | MACH LED PLUS, MQAL 36 N, 120-230V AC, 22.2" | 512.00 | 373.76 | |
| 113069000-00580639 | MACH LED PLUS, MQAL 24 S, 24V DC ECO, 25.6" | 450.00 | 328.50 | |
| 113071000-00580645 | MACH LED PLUS, MQAL 48 S, 24V DC, 25.6" | 485.00 | 354.05 | |
| 113073000-00580651 | MACH LED PLUS, MQAL 24 N, 120-230V AC ECO, 25.6" | 519.00 | 378.87 | |
| 113075000-00580657 | MACH LED PLUS, MQAL 48 N, 120-230V AC, 25.6" | 553.00 | 403.69 | |
| 113077000-00580663 | MACH LED PLUS, MQAL 30 S, 24V DC ECO, 31.1" | 512.00 | 373.76 | |
| 113079000-00580669 | MACH LED PLUS, MQAL 30 N, 120-230V AC ECO, 31.1" | 581.00 | 424.13 | |
| 113081000-00580675 | MACH LED PLUS, MQAL 42 S, 24V DC ECO, 42.1" | 635.00 | 463.55 | |

| | | | | |
|--------------------|--|--------|--------|--------|
| 113083000-00580684 | MACH LED PLUS, MQAL 42 N, 120-230V AC ECO, 31.1" | 704.00 | 513.92 | |
| 118261000-00000016 | SAMKC-136,120V, 1x36W, 19.4" | 235.00 | 171.55 | 152.75 |
| 128100000-00084831 | RL70E-117, 120-277V, 50/60Hz, acrylic (40.6") | 337.00 | 246.01 | 219.05 |
| 128100001-00084832 | RL70E-117, 120-277V, 50/60Hz, glass (40.6") | 364.00 | 265.72 | 236.60 |
| 128110000-00084833 | RL70E-125, 120-277V, 50/60Hz, acrylic (52.6") | 359.00 | 262.07 | 233.35 |
| 128110001-00084834 | RL70E-125, 120-277V, 50/60Hz, glass (52.6") | 394.00 | 287.62 | 256.10 |
| 128120000-00084835 | RL70E-132, 120-277V, 50/60Hz, acrylic (65.2") | 381.00 | 278.13 | 247.65 |
| 128120001-00084836 | RL70E-132, 120-277V, 50/60Hz, glass (65.2") | 413.00 | 301.49 | 268.45 |
| 128130000-00084837 | RL70-117 S, acrylic (30.9") | 220.00 | 160.60 | 143.00 |
| 128140000-00084839 | RL70-125 S, acrylic (42.9") | 243.00 | 177.39 | 157.95 |
| 128140001-00084840 | RL70-125 S, glass (42.9") | 283.00 | 206.59 | 183.95 |
| 128150000-00084841 | RL70-132 S, acrylic (54.9") | 265.00 | 193.45 | 172.25 |
| 128150001-00084842 | RL70-132 S, glass (54.9") | 308.00 | 224.84 | 200.20 |
| 138427000-00091102 | SAMC-236, 120V, 2x36W, 35.8" | 452.00 | 329.96 | 293.80 |
| 138429001-00012510 | SAMCE-236, 120V, 2X36W, 35.8" w/electronic ballast | 505.00 | 368.65 | 328.25 |
| 138439001-00012555 | SAMZCE-236, 120V | 520.00 | 379.60 | 338.00 |
| 138446021-00050923 | STE-155T, 120V, 5400K, w/36" reach task light, w/clamp, arm on left | 792.00 | 578.16 | 514.80 |
| 138446022-00007944 | STE-155T, 120V, 5400K, w/36" reach task light, w/clamp, arm on center | 792.00 | 578.16 | 514.80 |
| 138450000-00019726 | RL70E-239, 120-277V, 50/60Hz, acrylic (52.7") | 402.00 | 293.46 | 261.30 |
| 138450001-00019727 | RL70E-239, 120-277V, 50/60Hz, glass (52.7") | 430.00 | 313.90 | 279.50 |
| 138451000-00019665 | RL70E-224, 120-277V, 50/60Hz, acrylic (41.2") | 379.00 | 276.67 | 246.35 |
| 138451001-00019672 | RL70E-224, 120-277V, 50/60Hz, glass (41.2") | 402.00 | 293.46 | 261.30 |
| 138453000-00019569 | RL70-239 S, acrylic (41.6") | 266.00 | 194.18 | 172.90 |
| 138453001-00019587 | RL70-239 S, glass (41.6") | 306.00 | 223.38 | 198.90 |
| 138462000-00020894 | SNE-136, 120-230V, 4100K, w/35" reach tasklight, w/o magnifier, w/clamp | 458.00 | 334.34 | 297.70 |
| 138462003-00020895 | SNE-136, 120V, 5400K, w/35" reach tasklight, w/o magnifier, w/clamp | 486.00 | 354.78 | 315.90 |
| 138474000-00081649 | ABLTL1, gooseneck, w/detachable head, 6", w/16mm pin | 353.00 | 257.69 | 229.45 |
| 138474010-00081650 | ABLTL1, gooseneck, w/detachable head, 25", w/16mm pin | 353.00 | 257.69 | 229.45 |
| 138491001-00488841 | RL70E-254, 120V, glass (67.4"), UL approved | 555.00 | 405.15 | 360.75 |
| 150048019-00014631 | Transformer, 60VA, 230-23.5V, 50/60Hz (HG 24V models) | 114.00 | 83.22 | |
| 150124019-00014727 | Transformer, 20VA, 120-11V, 50/60Hz (HP) | 62.00 | 45.26 | |
| 150125M19 | Transformer, 60VA, 120-23.5V, 50/60Hz (HG 24V models) | 80.00 | 58.40 | |
| 150127M19 | Transformer, enclosed w/case, 60VA, 120-23.5V, 50/60Hz (HG 24V models) | 133.00 | 97.09 | |
| 150148019-00014764 | Transformer, enclosed, 20VA, 120-11V, 50/60Hz (HI series 12V models) | 177.00 | 129.21 | |
| 190007019-00014904 | Mounting Clamp, 0-2.75in (HG series, HSW series, HI series, WD) | 37.00 | 27.01 | |
| 190015019-00014930 | Bracket, each, straight, galv. steel, neoprene inserts (RL70) | 21.00 | 15.33 | |
| 190015719-00085498 | Bracket, each, straight, galv. steel, profiled rubber inserts (RL70) | 22.00 | 16.06 | |
| 190033019-00014950 | Mounting Clamp, 2.5-5.3in (HG series, HSW series, HI series, WD) | 39.00 | 28.47 | |
| 190036109-00058238 | Table Base, ESD, black | 147.00 | 107.31 | |
| 190036119-00065399 | Table Base, light gray (HIBF, HITF) | 119.00 | 86.87 | |
| 190054019-00015051 | Magnifier, Add-X 4d (RLLE-122) | 101.00 | 73.73 | |
| 190057019-00015056 | Magnetic Base (HIXF, HITF, SPOT LED) | 42.00 | 30.66 | |
| 190062019-00015058 | Magnifier, 4d clip-on lens (HI series) | 112.00 | 81.76 | |
| 190062029-00015059 | Magnifier, 4d + 12d clip-on lens (HI series) | 124.00 | 90.52 | |
| 190080049-00061280 | Magnifier, Add-X 4d ESD (Omnivue ESD) | 157.00 | 114.61 | |
| 190100019-00007368 | Clamp, C-type | 34.00 | 24.82 | |
| 190100029-00089021 | Clamp, C-type, ESD | 42.00 | 30.66 | |
| 190169719-00089351 | Bracket, each, long-l, stainless steel, profiled rubber inserts (RL70) | 50.00 | 36.50 | |
| 190174029-00086600 | Mounting Strap, snap-in, adjustable (MACH LED) | 19.00 | 13.87 | |
| 190180019-00092731 | Bracket, each, straight, stainless steel, neoprene inserts (RL70) | 43.00 | 31.39 | |
| 190180719-00092730 | Bracket, each, straight, stainless steel, profiled rubber inserts (RL70) | 50.00 | 36.50 | |
| 190181019-00092728 | Bracket, each, short-l, stainless steel, neoprene inserts (RL70) | 41.00 | 29.93 | |
| 190181719-00092729 | Bracket, each, short-l, stainless steel, profiled rubber inserts (RL70) | 49.00 | 35.77 | |
| 190182019-00078702 | Magnifier, 3d clip-on lens (SNE) | 180.00 | 131.40 | |
| 190183019-00093961 | Bracket, each, long-l, stainless steel, neoprene inserts (RL70) | 43.00 | 31.39 | |
| 190186019-00009644 | Table Base, plastic, black | 148.00 | 108.04 | |
| 190207019-00575900 | Magnifier, Clip-on, 3.5X (TANEO) | 163.00 | 118.99 | |
| 190208019-0575924 | Magnifier, Clip-on, 3.5X (TEVISIO) | 169.00 | 123.37 | |
| 191092019-00086727 | Wall Bracket, black (AWD) | 22.00 | 16.06 | |
| 203081019-00019478 | Swivel Bracket (EBL) | 43.00 | 31.39 | |
| 205652049-00066599 | Acrylic Shield, clip, shock guard cap (PAL) | 40.00 | 29.20 | |
| 208128019-00023393 | Mounting Clip, magnetic (PAL) | 22.00 | 16.06 | |
| 208136019-00023405 | Mounting Clip (PAL) | 21.00 | 15.33 | |
| 209582019-00048793 | Operating Device, Type A, 19.2V-28.8V, 700mA | 98.00 | 71.54 | |
| 209582029-00048794 | Operating Device, Type B, 19.2V-28.8V, 1000mA | 98.00 | 71.54 | |
| 209585019-00045202 | Operating Device, VLM, 95V-240V, 700mA | 83.00 | 60.59 | |
| 209585029-00098930 | LED Driver, 120V-240V, 24V DC, 20W max. (MACH LED) | 97.00 | 70.81 | |
| 225234019-00045163 | Diffuser, acrylic, semi-clear, tinted yellow (WD, EBL) | 18.00 | 13.14 | |
| 225234029-00039782 | Diffuser, polycarbonate, semi-clear, colorless (WD, EBL) | 18.00 | 13.14 | |
| 225234039-00039783 | Diffuser, polyurethane, semi-clear, tinted yellow (WD, EBL) | 31.00 | 22.63 | |
| 225303019-00098686 | Glass Lens, clear (HI series) | 9.00 | 6.57 | |
| 300213018-00025178 | Wall Bracket (HG series, HSW series, HI series, LED) | 27.00 | 19.71 | |
| 300593010-00026362 | Fuse, T1.6A, 24V, 20W (each) | 6.00 | 4.38 | |
| 300593020-00026363 | Fuse, T3A, 12V, 20W (each) | 6.00 | 4.38 | |
| 305041010-00085839 | Glass Lens, clear (HSW-75 series) | 37.00 | 27.01 | |
| 305169010-00028895 | Tube, RL70, Acrylic (20.31") | 60.00 | 43.80 | |
| 305169020-00028897 | Tube, RL70, Acrylic (23.27") | 62.00 | 45.26 | |
| 305169030-00028899 | Tube, RL70, Acrylic (29.25") | 73.00 | 53.29 | |
| 305169040-00028901 | Tube, RL70, Acrylic (53.27") | 119.00 | 86.87 | |
| 305169060-00028905 | Tube, RL70, Acrylic (17.24") | 60.00 | 43.80 | |
| 305169070-00028907 | Tube, RL70, Acrylic (14.09") | 53.00 | 38.69 | |
| 305169100-00028913 | Tube, RL70, Acrylic (36.50") | 83.00 | 60.59 | |
| 305169130-00028919 | Tube, RL70, Acrylic (27.52") | 70.00 | 51.10 | |
| 305169180-00028928 | Tube, RL70, Acrylic (36.50") | 83.00 | 60.59 | |
| 305169330-00060960 | Tube, RL70, Acrylic (18.54") | 60.00 | 43.80 | |
| 305169400-00066938 | Tube, RL70, Acrylic (58.43") | 124.00 | 90.52 | |

| | | | |
|---------------------|--|--------|--------|
| 305169500-00066941 | Tube, RL70, Acrylic (30.67") | 73.00 | 53.29 |
| 305169520-00083591 | Tube, RL70, Acrylic (62.95") | 124.00 | 90.52 |
| 305169600-00078073 | Tube, RL70, Acrylic (38.94") | 83.00 | 60.59 |
| 305169700-00021869 | Tube, RL70, Acrylic (50.94") | 107.00 | 78.11 |
| 305169710-00081121 | Tube, RL70, Acrylic (41.26") | 97.00 | 70.81 |
| 305169780-00081121 | Tube, RL70, Acrylic (52.53") | 114.00 | 83.22 |
| 305169910-00012325 | Tube, RL70, Acrylic (18.74") | 60.00 | 43.80 |
| 305204030-00029120 | Glass Lens, tempered, clear (HSWT-20, HSW-20) | 27.00 | 19.71 |
| 305204040-00029122 | Glass Lens, tempered, milky (HSWT-20, HSW-20) | 27.00 | 19.71 |
| 305226010-00029164 | Tube, RL70, Glass (14.09") | 97.00 | 70.81 |
| 305226020-00029166 | Tube, RL70, Glass (17.24") | 97.00 | 70.81 |
| 305226030-00029168 | Tube, RL70, Glass (53.27") | 182.00 | 132.86 |
| 305226040-00029170 | Tube, RL70, Glass (29.25") | 113.00 | 82.49 |
| 305226050-00029172 | Tube, RL70, Glass (20.31") | 112.00 | 81.76 |
| 305226060-00029174 | Tube, RL70, Glass (23.27") | 113.00 | 82.49 |
| 305226080-00029178 | Tube, RL70, Glass (36.50") | 144.00 | 105.12 |
| 305226140-00029189 | Tube, RL70, Glass (27.52") | 113.00 | 82.49 |
| 305226270-00066942 | Tube, RL70, Glass (34.50") | 134.00 | 97.82 |
| 305226280-00062393 | Tube, RL70, Glass (18.54") | 97.00 | 70.81 |
| 305226330-00066943 | Tube, RL70, Glass (58.42") | 183.00 | 133.59 |
| 305226340-00062133 | Tube, RL70, Glass (52.32") | 181.00 | 132.13 |
| 305226380-00065439 | Tube, RL70, Glass (30.67") | 113.00 | 82.49 |
| 305226490-00088146 | Tube, RL70, Glass (38.94") | 149.00 | 108.77 |
| 305226510-00013450 | Tube, RL70, Glass (63.58") | 184.00 | 134.32 |
| 305226520-00056834 | Tube, RL70, Glass (41.26") | 149.00 | 108.77 |
| 305226660-00031768 | Tube, RL70, Glass (26.37") | 113.00 | 82.49 |
| 305226670-00026120 | Tube, RL70, Glass (67.01") | 210.00 | 153.30 |
| 305226680-00026124 | Tube, RL70, Glass (40.87") | 149.00 | 108.77 |
| 305226720-00002375 | Tube, RL70, Glass (18.74") | 97.00 | 70.81 |
| 305412010-00029513 | Glass Lens, hardened, clear (HG series) | 37.00 | 27.01 |
| 305412020-00029515 | Glass Lens, hardened, frosted (HG series) | 37.00 | 27.01 |
| 306266022-00085912 | Mounting Clip, fixed, non-adjustable (MACH LED) | 5.00 | 3.65 |
| 309015030-00477925 | Ballast, 1x18W, 24V DC, electronic | 163.00 | 118.99 |
| 309323M10 | Ballast, 22W Circline (RLLE) | 39.00 | 28.47 |
| 309355M20 | Ballast, 1x24/39W, 120-277V, 50/60Hz (RL40-124, -139) | 92.00 | 67.16 |
| 309361050-00092219 | Ballast, 120-277V, 1/2x24/39W | 144.00 | 105.12 |
| 309439010-00093716 | Ballast, 1/2x18/24/36W, 120-277V, 50-60Hz | 67.00 | 48.91 |
| 320283030-000085837 | Lamp, halogen, QT-LP12, 12V, 75W, GY6.35 (HSW-75, HSWK-75) | 14.00 | 10.22 |
| 320283060-00004596 | Lamp, halogen, QT-LP12, 24V, 75W, GY6.35 (HSW-75, HSWK-75) | 14.00 | 10.22 |
| 320471010-00058285 | Lamp, halogen, MRC-16, 12V, 20W, 10° (HI series) | 42.00 | 30.66 |
| 320471020-00058286 | Lamp, halogen, MRC-16, 12V, 20W, 24° (HI series) | 19.00 | 13.87 |
| 320471030-00067611 | Lamp, halogen, MRC-16, 12V, 20W, 38° (HI series) | 19.00 | 13.87 |
| 320471040-00067612 | Lamp, halogen, MRC-16, 12V, 20W, 60° (HI series) | 19.00 | 13.87 |
| 320471090-00064557 | Lamp, halogen, MR-16, 12V, 20W, 10° (HSW-20) | 42.00 | 30.66 |
| 320471110-00053140 | Lamp, halogen, MR-16, 12V, 20W, 38° (HSW-20) | 42.00 | 30.66 |
| 320724010-00067912 | Lamp, halogen, MRC-16, 24V, 23W, 10° (HI series) | 42.00 | 30.66 |
| 325713120-00012483 | Tube, RL70, Acrylic (21.1") | 60.00 | 43.80 |
| 330530030-00078554 | Cord with US Plug (TANEO) | 10.00 | 7.30 |
| 330538010-00098572 | Lens, 10 degree | 23.00 | 16.79 |
| 330538050-00477791 | Lens, 40 degree | 23.00 | 16.79 |
| 330603020-00002947 | M12 Connector Plug (HEAD LED) | 18.00 | 13.14 |
| 330634010-00003970 | M12 Connector Plug (FLAT TEC, MACH LED PLUS) | 33.00 | 24.09 |
| 330994050-00471458 | US Plug, 14W LED (TEVISIO) | 3.00 | 2.19 |
| 335035010-00019431 | Tube, RL70, Glass (21.14") | 112.00 | 81.76 |
| 335035040-00005975 | Tube, RL70, Glass (17.60") | 97.00 | 70.81 |
| 336047120-00553694 | Plug-in Power Supply 12 R, 24V (TANEO) | 50.00 | 36.50 |
| 336047160-00559611 | In-line Power Supply 24 R/36 R, 24V (TANEO) | 55.00 | 40.15 |
| 336610010-00515612 | Clear Lens (CDP) for 12 R TANEO, 7.3" | 16.00 | 11.68 |
| 336610020-00515645 | Clear Lens (CDP) for 24 R TANEO, 14.4" | 18.00 | 13.14 |
| 336610030-00515648 | Clear Lens (CDP) for 36 R TANEO, 21.4" | 20.00 | 14.60 |
| 336615019-00522018 | M12 Connector, straight 5 pin (LUMATRIS) | 32.00 | 23.36 |
| 336615029-00522015 | M12 Connector, angled 5 pin (Lumatrix) | 32.00 | 23.36 |
| 336703010-00543335 | Cable, 24V, for M12 4-pin connector, 9' in length | 27.00 | 19.71 |
| 336703020-00543341 | Cable, 24V, for M12 4-pin connector, 22' in length | 38.00 | 27.74 |
| 336763010-00559483 | Matte Lens for 12 R (TANEO) 7.3" | 17.00 | 12.41 |
| 336763020-00559486 | Matte Lens for 24 R (TANEO) 14.4" | 19.00 | 13.87 |
| 336763030-00559489 | Matte Lens for 36 R (TANEO) 21.4" | 21.00 | 15.33 |
| 336885010-00597538 | M12 Connector, S-coded | 38.00 | |
| 336891010-00597943 | Cable, 120-230V for M12 4-pin connector, 9' in length | 35.00 | 25.55 |
| 336891020-00597948 | Cable, 120-230V for M12 4-pin connector, 22' in length | 45.00 | 32.85 |
| 406125440-00078798 | Cord, 20/3, Black 80C, 500V (MACH LED) per foot | 5.00 | 3.65 |
| 408001033-00514262 | Mounting Pivoting Arm (LUMATRIS) | 104.00 | 75.92 |
| 408001034-00514265 | Mounting Frame, 30.3in (770mm) | 104.00 | 75.92 |
| 408001035-00514268 | Mounting Bracket for side mount, pair (LUMATRIS) | 33.00 | 24.09 |
| 408001037-00518121 | Mounting Frame, 16.5in (420mm) | 78.00 | 56.94 |
| 408001586-00578088 | Bracket, adjustable (TAMETO) | 68.00 | 49.64 |
| 408001875-00582072 | Protective Cap Set (MACH LED PLUS) | 49.00 | 35.77 |
| 408001876-00582065 | Bracket, End Bracket +/- 65° range (MACH LED PLUS) | 30.00 | 21.90 |
| 408001878-00585535 | Bracket, +/- 30° (MACH LED PLUS) | 20.00 | 14.60 |
| 408001952-00459389 | Mounting Ring Kit, aluminum (MACH LED) | 37.00 | 27.01 |
| 450009120-00041373 | Lamp, fluorescent, PL-S 9W, 4100K | 24.00 | 17.52 |
| 450013120-00041400 | Lamp, fluorescent, PL-S 13W, 4100K (WD, EBL, PAL) | 23.00 | 16.79 |
| 450013132-00058167 | Lamp, fluorescent, PL-C 13W, 4100K | 27.00 | 19.71 |
| 450017020-00071882 | Lamp, fluorescent, F17T8, 17W, 4100K | 19.00 | 13.87 |
| 450018010-00041422 | Lamp, fluorescent, PL-L 18W, 4100K | 29.00 | 21.17 |
| 450018013-00051042 | Lamp, fluorescent, F18T8, 18W, 4100K | 16.00 | 11.68 |

| | | | | |
|--------------------|--|--------|--------|--------|
| 450024M10 | Lamp, fluorescent, PL-L 24W, 4100K | 29.00 | 21.17 | |
| 450024M12 | Lamp, fluorescent, T5HO, 24W, 4100K | 24.00 | 17.52 | |
| 450025020-00084518 | Lamp, fluorescent, F25T8, 25W, 4100K | 18.00 | 13.14 | |
| 450032020-00066818 | Lamp, fluorescent, F32T8, 32W, 4100K | 16.00 | 11.68 | |
| 450036122-00041479 | Lamp, CFL, 36W, 2G11, 4100K | 18.00 | 13.14 | |
| 450036190-00041493 | Lamp, fluorescent, PL-L 36W, 5400K (SNE) | 37.00 | 27.01 | |
| 450036222-00062234 | Lamp, fluorescent, PL-L 36W, 6000K (SNE) | 37.00 | 27.01 | |
| 450036M10 | Lamp, fluorescent, PL-L 36W, 4100K (SNE) | 37.00 | 27.01 | |
| 450039012-00074868 | Lamp, LFL, 39W, G5, 4100K, T5 | 24.00 | 17.52 | |
| 450054012-00069325 | Lamp, fluorescent, T5HO, 54W, 4100K | 32.00 | 23.36 | |
| 450055032-00060524 | Lamp, fluorescent, CFL 55W, 5400K (STE-155T) | 37.00 | 27.01 | |
| 450058182-00080538 | Lamp, fluorescent, T8, 58W, 5000K | 30.00 | 21.90 | |
| 450070300-00041540 | Lamp, halogen, 24V, 60W, H3 (HGW 24V and 120V models) | 18.00 | 13.14 | |
| 619063010-00077590 | RL70CE-136H, 110-230V, 50-60Hz, acrylic (23") w/louwer, A end caps (23" | 328.00 | 239.44 | 213.20 |
| 619063011-00005922 | RL70CE-136H, 110-230V, 50-60Hz, glass (23") w/louwer, C end caps (23" | 357.00 | 260.61 | 232.05 |
| D68158020 | Transformer, plug-in, 5-20 VA, 120-12V | 44.00 | 32.12 | |
| ILL00100C-00050472 | Clamp, table | 33.00 | 24.09 | |
| ILL00500C | Base, table, black, metal | 46.00 | 33.58 | |
| SK0995719-00085652 | Bracket, each, short-l, galv. steel, profiled rubber inserts (RL70) | 22.00 | 16.06 | |
| SK1021719-00085499 | Bracket, each, long-l, galv. steel, profiled rubber inserts (RL70) | 22.00 | 16.06 | |
| SK3618011-00089152 | ½" Base Mount Adapter (HI series, Omnivue, RLLE, SNE) | 37.00 | 27.01 | |
| US0007013 | Lamp, fluorescent, PL-S 9W/08 BLB, UVA (OMNIVUE UVA) | 58.00 | 42.34 | |
| US0011013 | Fuse, T3.5A, 23.5V, 60W (each) | 16.00 | 11.68 | |
| US0050043 | Cord, 18AWG/7, AWM STYLE 2587, PVC, 90°, 600V, UL/CSA, per foot | 6.00 | 4.38 | |
| US0093023 | Cord, 18AWG/5, SJTOOW, 105°, per foot (used w/RL70,RL40 series w/remote ballast) | 4.00 | 2.92 | |
| US0093033 | Cord, 18AWG/5, AWM STYLE 2587, PVC, 90°, 600V, UL/CSA, per foot | 6.00 | 4.38 | |
| US0165012 | Bracket, pair, molded endcap, plastic, black (RL70) | 39.00 | 28.47 | |
| US0209012 | ½" Pin Mount Adapter, 3.75" long (for workstations) | 43.00 | 31.39 | |
| US0209022 | ½" Pin Mount Adapter, 1.77" long (for workstations) | 35.00 | 25.55 | |
| US0223023 | Ballast, 1x13/18W or 2x13/18W, 120-277V, 50/60Hz (AWD) | 80.00 | 58.40 | |
| US0224043 | Transformer, Electronic, 20-75VA, 120-11.6V, 50/60Hz (HI/HG/HSW 12V models) | 38.00 | 27.74 | |
| US0300000 | Louver, 47.7in (1209mm), 7 piece | 122.00 | 89.06 | |
| US0300010 | Louver, 7.8in (197mm), 1 piece | 19.00 | 13.87 | |
| US0300020 | Louver, 11.8in (298mm), 2 piece | 36.00 | 26.28 | |
| US0300030 | Louver, 9.3in (237mm), 2 piece | 36.00 | 26.28 | |
| US0300040 | Louver, 15.5in (394mm), 2 piece | 36.00 | 26.28 | |
| US0300050 | Louver, 12.4in (316mm), 2 piece | 36.00 | 26.28 | |
| US0300060 | Louver, 14.3in (362mm), 2 piece | 36.00 | 26.28 | |
| US0300070 | Louver, 5.4in (136mm), 1 piece | 19.00 | 13.87 | |
| US0300080 | Louver, 35.9in (911mm), 5 piece | 90.00 | 65.70 | |
| US0300090 | Louver, 43.6in (1108mm), 6 piece | 122.00 | 89.06 | |
| US0300100 | Louver, 45.2in (1148mm), 7 piece | 122.00 | 89.06 | |
| US0300110 | Louver, 33.5in (851mm), 5 piece | 90.00 | 65.70 | |
| US0300120 | Louver, 22.1in (560mm), 4 piece | 70.00 | 51.10 | |
| US0300130 | Louver, 46.5in (1182mm), 6 piece | 104.00 | 75.92 | |
| US0300140 | Louver, 34.5in (877mm), 5 piece | 90.00 | 65.70 | |
| US0300150 | Louver, 22.5in (572mm), 5 piece | 90.00 | 65.70 | |
| US0300160 | Louver, 23.3in (591mm), 3 piece | 52.00 | 37.96 | |
| US0300170 | Louver, 27.5in (699mm), 4 piece | 70.00 | 51.10 | |
| US0300180 | Louver, 8.3in (211mm), 2 piece | 60.00 | 43.80 | |
| US0300190 | Louver, 14.3in (364mm), 2 piece | 36.00 | 26.28 | |
| US1043019 | Portable Stand, black, w/5-leg base | 194.00 | 141.62 | |
| US2113019 | Ballast, 13-18W in-line (PAL) | 31.00 | 22.63 | |