

Waldmann **W**

ENGINEER OF LIGHT.

NORTH AMERICA

VALENCIA





VALENCIA

THE ULTIMATE IN FUNCTIONAL DESIGN.

The form is emotional; the function is rational. Valencia's glare-free parabolic louver, a Waldmann exclusive, focuses warm or cool light precisely where it's wanted, virtually eliminating eyestrain from flat panel LCD screens and all other work environments.

The Valencia is ergonomically designed to enhance employee productivity by providing users direct light control at their fingertips. It uses two 9-watt compact fluorescent lamps which produce the same light as a 75-watt incandescent lamp, but utilize 77% less energy and heat. The lamps provide 10,000 hours of



lamp life, standard 4100K color temperature, and an 82 CRI. Other color temperatures available include 2700K, 3500K, and 5000K.

When you're searching for task lighting, make a brighter choice: the Valencia by Waldmann.

Valencia Ordering Information			
Magnetic Ballast Version		Mounting Options	
Twin Horizontal Arm-Black	138-020-011	Table Clamp	200-498-039
Electronic Ballast "E" Versions		Table Clamp (for rounded surfaces)	191-025-069-40
Single Arm-Black	138-080-011	Wall Bracket	308-218-109
Twin Vertical Arm-Black	138-070-011	Round Table Base	190-186-019
Twin Horizontal Arm-Black	138-090-011	Rectangular Table Base	190-037-019
Single Arm-Platinum	138-080-021	Single Arm Table Base	190-101-019
Twin Vertical Arm-Platinum	138-070-021	Grommet	203-332-019
Twin Horizontal Arm-Platinum	138-090-021	Replacement Lamps	
Specifications		9-watt, 2700K	450-009-110
Weight = approx. 6 lbs.		9-watt, 3500K	950-900-003
Power consumption = approx. 20W		9-watt, 4100K (Standard)	450-009-120
		9 Watt, 5000K	950-900-038
		9 Watt, 4100K (For "E" Version)	450-009-180


Valencia Single Vertical Arm

Valencia Twin Vertical Arm




FOOTCANDLE LINES OF ILLUMINATION

All measurements are stated in footcandles



For additional photometric information contact Waldmann Engineering Department.

Valencia Twin Horizontal Arm



Waldmann Lighting Company
9, W. Century Drive
Wheeling, Illinois 60090
USA
Telephone (847) 520 1060
Fax (847) 520 1730
www.waldmannlighting.com
waldmann@waldmannlighting.com

Herbert Waldmann GmbH & Co. KG
P.O. Box 5062
78057 Villingen-Schwenningen
Germany
Telephone +49 7720 601 100
Fax +49 7720 601 290
www.waldmann.com
info@waldmann.com

Waldmann Lichttechnik GmbH
Benkenstrasse 57
5024 Küttigen
Switzerland
Telephone +41 62 839 12 12
Fax +41 62 839 12 99
www.waldmann.com
info-ch@waldmann.com

Derungs Medical Lighting
Hofmattstrasse 12
9200 Gossau
Switzerland
Telephone +41 71 388 11 66
Fax +41 71 388 11 77
www.derungslicht.com
mailbox@derungslicht.com

Waldmann Eclairage S.A.S
BP 23431
Reichstett
67455 Mundolsheim Cedex
France
Telephone +33 3 8820 9588
Fax +33 3 8820 9568
www.waldmann.com
info-fr@waldmann.com

Waldmann Lichttechnik Ges.m.b.H
Gewerbepark Wagram 7
4061 Pasching/Linz
Austria
Telephone +43 7229 67 400
Fax +43 7229 67 444
www.waldmann.com
info-at@waldmann.com

Waldmann Illuminotecnica s.r.l.
Via della Pace, 18 A
20098 S. Giuliano M. se (MI)
Italy
Telephone +39 02 9824 9024
Fax +39 02 9824 6378
www.waldmann.com
info-it@waldmann.com

Waldmann Medische Technik BV
Lingewei 19
4004 LK Tiel
Netherlands
Telephone +31 344 631 019
Fax +31 344 627 856
www.waldmann.com
info-nl@waldmann.com

Waldmann Ljusteknik
Skebokvarnsvägen 370
124 50 Bandhagen
Sweden
Telephone +46 8 990 350
Fax +46 8 991 609
www.waldmann.se
hk@waldmann.se

Waldmann Lighting Singapore Pte. Ltd.
Blk 168, Jalan Bukit Merah Tower 3,
04-09 B
SG-Singapore 150168
Telephone +65 6275 8300
Fax +65 6275 8377
www.waldmann.com
waldmann@singnet.com.sg

Waldmann Lighting (Shanghai) Co. Ltd.
Part A, No. Five Normative Workshop
199 Chang Jian Road, Baoshan
Shanghai, PRC 200949
Telephone +86 2151 691799
Fax +86 2133 850032
www.waldmann.cn
info@waldmann.com.cn