

---

## **CRESCENT**

### PATIENT ROOM LED NIGHT LIGHT



The CRESCENT LED Night Light brings a soft, low level of illumination to any healthcare environment. The Night Light allows clinical staff to navigate through a dark room without disturbing patients. To accommodate for the various sleep patterns of the patient, the CRESCENT Night Light is available in 2700K, 3000K and 3500K soft white as well as in amber and blue colors.

Our unique faceplate design is not only aesthetically pleasing, it also has minimal protrusion from the wall and provides even light distribution. The CRESCENT can be controlled by a switch or by using photocell technology that will automatically turn the Night Light on in low light conditions. Features include:

- Antimicrobial finish
- Long lasting LEDs
- Three choices of white light
- Even light distribution

## LED hospital night light CRESCENT

### Construction Material:

**Housing:** Die-cast aluminum. Powder coated finish with 5-stage pre-treatment. Antimicrobial finish.

**Lens:** Frosted diffuser for a general light distribution. UV-stabilized, high impact-resistant, injection molded polycarbonate.

**Photo Control Options:** Light sensor shall turn on LED light source when ambient light levels fall below  $5fc \pm 2fc$  and turn off when light levels are above  $15fc \pm 5fc$ . Performance may vary depending on location of ambient light sources, windows, room finishes and surrounding objects.

**Installation:** Standard installation requires the back plate to be mounted to a NEMA, single-gang junction box (supplied by others).

**Drivers:** High power factor constant current, 0.97 pf @ 120 V (Class 2, Class II)

**Lumen Maintenance:** >70% of initial lumens at 100,000 hours.

### Specifications:

**Voltage:** 120 - 277 Volts

**Light Output** 33.4 lm

**Wattage:** 3.3 W

**Color Temperature:** Blue, Amber, White 2700K, White 3000K, White 3500K

**Life of LEDs:** L70 50,000 hours

**Warranty:** Limited five (5) year warranty





### Dimensions:

Front View

Side View

Back View



**NOTE:** Recommended wall cut-out is minimum of 3.2" x 2" (81.3 mm x 50.8 mm) and a maximum of 4" x 2.3" (101.6 mm x 58.4 mm)

A	B	C	D	E	F	G
4.5" (114.3 mm)	2.75" (69.9 mm)	0.47" (12.0 mm)	1.75" (44.5 mm)	2.65" (67.3 mm)	0.35" (9.0 mm)	3.25" (82.5 mm)

## LED hospital night light CRESCENT

### Ordering Guide:

**CRT - UNV - - -**

┌
┌
┌
┌

Voltage
Lamp Type LED
Finish
Options

**For Example: CRT-120-35K-LED30-01-PS**  
CRESCENT Night Light, 120 V, 3500 Kelvin White LED, Matte finish, Photo sensor

### Ordering Information:

Series	Voltage	Lamp Type LED	Finish	Options
CRT	UNV 120- 277V	<b>27K</b> 2700 K White LED	<b>01</b> Matte white	<b>SW</b> Switch provided by others
		<b>30K</b> 3000 K White LED	<b>02</b> Matte silver	<b>PS</b> Photo sensor
		<b>35K</b> 3500 K White LED	<b>03</b> Custom color	
		<b>AMB</b> Amber LED		
		<b>BLU</b> Blue LED		