


VIVAA.social





**WORLD
FIRST**



LIGHT FOR HEALTH AND COMFORT*

WELL-BEING

Reduce sick days
Increase well-being



VIVAA.SOCIAL

Waldmann **W**

X

IPPOLITO
FLEITZ GROUP
IDENTITY
ARCHITECTS



NO MATTER WHERE SOCIAL INTERACTIONS TAKE PLACE IN THE OFFICES, THE RIGHT LIGHT IS THERE TO SUPPORT THEM.**

WELL-BEING LIGHT IN ANY AREA AND AT ANY TIME OF DAY.



IN THE MORNING

AT NOON

IN THE EVENING

VIVAA.SOCIAL

Waldmann 

X

IPPOLITO
FLEITZ GROUP
IDENTITY
ARCHITECTS

WELL-BEING LIGHT IN ANY
AREA AND AT ANY TIME OF
DAY


TECHNICAL INFORMATION

| | |
|--------------------------|--|
| Luminous flux | approx. 7,200 lm |
| Colour rendering Ra | ≥ 90 |
| Power consumption | approx. 79 W |
| Connected loads | 220 - 240 V; 50Hz; 60Hz |
| Mains connection cable | approx. 2.2 m; mains plug; CEE 7/VII or T12 |
| Light source cover | Polycarbonate (PC); Satine |
| Standpipe/foot | Tubular steel, pure white RAL 9010 |
| Weight | approx. 13 kg |
| Protection class | I |
| Protection class | IP 20 |
| Lamp and reflector shade | Fire-resistant M1, B1, class 1, NFPA 701. |
| Frame | Non-woven fabric made of cellulose, polyester and glass fibre. Fibrous appearance. Sheet steel, pure white RAL 9010 |



*Study WELL-BEING: Bio-Clock-Aware Office Lighting Control (2020), C. Papatsimpa, Jochem H. Bonarius, J.P.M.G. Linnartz

**Study: Wilhelm Bauer, Yue Pan, Stefan Rief: Environmental Psychology for a new world of work



CEE 7/VII

Technical changes and errors excepted. Illustrations may differ from the original. Photometric and electrotechnical values may vary due to component tolerances.

**FIGHTING
DARKNESS
SINCE 1928**